

INDEX

A

- AAMA (American Architectural Manufacturers Association), 971
 AASHTO (American Association of State Highway and Transportation Officials), 713
 ABA, *see* Architectural Barriers Act
 Ablution stalls (mosques), 510, 511
 Above-ground pools, 640
 Abrasion resistance, 684
 Absorption cooling cycle, 434
 Academic lofts, 984
 Accelerographs, 651
 Accelerometers, 650, 652
 Access control systems (ACS), 482, 658–660
 bar code technology, 660
 barium ferrite technology, 660
 biometric readers, 660
 delayed egress services, 660
 for door control, 660
 hollerith technology, 660
 infrared technology, 660
 magnetic stripe technology, 659–660
 proximity cards, 659
 smartcards, 659
 Wiegand technology, 659
 Access flooring, 561
 Accessibility, 895–924
 of automated teller machines, 502
 of bathrooms, residential, 919, 925
 of bathtubs, 917
 building blocks for, 897–898
 of common areas, 925
 of communications features, 912–913
 of curbs, 902–904
 of doors, 910–912
 of electrical outlets, 925
 of elevators, 901, 906–908
 of exterior doors, 213
 Fair Housing Act and, 925
 of grab bars, 925
 of kitchens, residential, 895–925
 of laundry rooms, residential, 538
 of light switches, 925
 of parking lots, 682, 902–904
 of public areas, 925
 ramps for, 904–906
 reach ranges for, 898–900
 regulations guiding, 895–897
 of routes, 900–902, 925
 of signage, 682
 of thermostats, 925
 of toilet, 901, 914–916
 of toilet and bath fittings, 915–917
 of toilet compartments, 307, 914–921
 of urinals, 915
 of walking surfaces, 900–902
 of walls, 925
 wheelchair lifts, 908–910
 Accessible design, 873, 895–924
 Accuracy, 958
 Acid neutralizers, 414
 Acoustic(s):
 of classrooms, 577
 of linear metal ceilings, 371
 Acoustical panel ceilings, 367–368
 composition of, 367
 edge details for, 367–368
 light reflectance of, 367
 sound absorption and isolation in, 367
 with special-use panels, 368
 suspension systems for, 368
 types of, 367
 Acoustical tile ceilings, 368–369
 case tiles for, 368
 composition of, 368
 isolation hangers for, 369
 molded tiles for, 368
 nodular tiles for, 368
 seismic design with, 369
 structural performance of, 368
 suspension systems for, 368
 water-felted tiles for, 368
 Acoustic detectors, 482
 Acoustic doors, 627
 Acoustic windows, 627
 ACQ (alkaline copper quaternary), 803
 Across-the-bed (vein) cut, 346
 Acrylic bathtubs, 394
 Acrylic fibers, in carpet flooring, 364
 Acrylic films, 781
 Acrylic latex coating, 350
 Acrylic sealants, 162
 ACS, *see* Access control systems
 Active fireproofing, 68
 Active layers, 9
 Active leaf, 285
 Active soil pressure, 50
 Activity centers, in residential kitchens, 535
 Activity-driven research, 981
 ACZA (ammoniacal copper zinc arsenate), 803
 ADA, *see* Americans with Disabilities Act
 ADAAG, *see* Americans with Disabilities Act Accessibility Guidelines
 Adams, Geoffrey C. Adams, 882
 Adamson Associates Architects, 492
 Adaptability, steel joist floor framing for, 78
 Adhered veneers (thin brick veneers), 140–141
 Adhesive(s), 805
 CAD/CAM and, 942
 construction, 805–806
 for tile flooring, 353
 for tufted carpets, 364
 Adhesive installation, of carpet flooring, 365
 Admixtures:
 for cast-in-place concrete, 747
 mortar and grout, 754
 Aeolian soils, 4
 Aeration, 45
 Aerobics, water, 645
 AESS (architecturally exposed structural steel) framing, 77
 Aesthetics, 875
 Affordable rental housing (Oakland, California), 926–931
 AFUEs (annual fuel utilization efficiencies), 431
 Aggregate:
 cast-in-place concrete, 749
 exposed, 749
 mortar and grout, 754
 porous, 678
 in terrazzo, 355
 Aging, 475
 AHUs (air-handling units), 442
 AHUs, zonal, *see* zonal air-handling units
 AIA, *see* American Institute of Architect
 Air, 857–859
 in clean rooms, 613
 consultants for, 859
 HAM and, *see* Heat, air, and moisture
 indoor air quality, 857–859
 material certification and, 858
 measure of, 870
 pollutant source control, 857
 resources for, 859
 volatile organic compounds and, 858
 Air balancing system, 626
 Air (weather) barriers, 64
 characteristics of, 174
 considerations for, 175
 door installation and, 214
 for exterior walls, 174–175
 for low slope roofing, 226
 membranes of, 174–175
 steep slope roofing, 224
 systems for, 174
 tile roofing with, 229
 in windows, 185
 Air barrier system, foundation, 962
 Airborne sound isolation, 627–628
 Air-conditioning, of computer rooms, 444–445
 Air distribution systems (HVAC), 438–444
 air outlets, 444
 air terminal units, 444
 constant-volume dual duct air distribution, 440–441
 constant-volume multizone, 441
 constant-volume single-duct with terminal reheat, 439
 dual-duct air distribution, 443
 ducts and casings for, 441–444
 fan-coil air distribution, 443
 induction air distribution, 444
 multizone, 442
 single-zone, 442
 terminal reheat air distribution, 443
 variable air volume air distribution, 442
 variable-volume single-duct, 440
 Air-exchange ventilation, 989

- Air filtration, 655–656
 - landscaping for, 704
 - with windows, 185
- Air flows, 836, 840–841
 - air jets, 840
 - external effects, 841
 - natural ventilation, 840, 841
 - ventilation air change, 841
 - window size, 841
 - wind power, 840
- Air gaps, 399
- Air-handling units (AHUs), 422
- Air jets, 840
- Air outlets, 444
- Air proving switches, 626
- Air solar heating systems, 454
- Air supply systems:
 - emergency, 617
 - in hyperbaric rooms, 617
- Air-supported structures, 590–591
- Air terminal units, 444
- ALA (American Lung Association), 859
- ALARA (“as low as reasonably achievable”), 634
- Alarm systems, 481, 658
- Alberti, Leon Battista, 1020
- Alkaline copper quaternary (ACQ), 803
- Alkyd paint, on interior walls, 350
- All-air HVAC systems, 421–423
 - controls for, 421–422
 - requirements for, 421
- All-glass entrances, 301
- Allplan (Nemetschek), 950
- Alluvial soils, 4
- All-water HVAC systems, 423
- Altars, 509
- Altenhofen, David, 63
- Alternate energy systems, 862
- Aluminum, 778
 - entrance doors, 213
 - sphere domes, 604
 - in steel, 778
- Ambient brightness, 855
- Ambient lighting, 475
- American Architectural Manufacturers Association (AAMA), 971
- American Association of State Highway and Transportation Officials (AASHTO), 713
- American Institute of Architect (AIA):
 - CAD layer guidelines, 1012
 - COTE Top Ten Green Projects, 832, 869–871
 - principles for livable communities, 852–853
- American Lung Association (ALA), 859
- American National Standards Institute (ANSI), 474
 - on accessible design, 895
 - on bathrooms, 919
 - on ceramic tile-grouting, 348
 - on gas burning fireplaces, 329
 - on kitchens, 921
- American Society of Heating, Refrigerating, and Air conditioning Engineers (ASHRAE), 419, 450
- American Society of Mechanical Engineers (ASME), 528
- Americans with Disabilities Act (ADA), 873, 895, 896
 - on bathrooms, 919
 - design requirements by, 896
 - on parking lots, 682, 903
 - on playground equipment, 692
 - on ramps, 687
 - on stairs, 687
 - stairs design and, 333, 339
- Americans with Disabilities Act Accessibility Guidelines (ADAAG), 333, 682, 895
- American Window Covering Manufacturing Association (AWCMA), 554
- Ammoniacal copper zinc arsenate (ACZA), 803
- Anchor(s), 29, 808–812
- Anchorage, 755–758
- Anchor bolts, 591
- Anchoring systems, for stone facing finishing, 348
- Anderson residence, 882–883
- Anemometers, 650
 - electronic, 650
 - for fountains, 690
 - mechanical, 650
 - ultrasonic, 650
- Angular distortion, settlement and, 18
- Angular speed, 1035
- Animals, wetland, 716
- Animal monitoring, 650
- Animal shelters, 648–650
 - design considerations, 649–650
 - primary enclosure, 648
 - secondary enclosure, 648
- Animation, fountain, 690
- Annual fuel utilization efficiencies (AFUEs), 431
- Annual wetting/drying cycle, 962
- Anodic coatings, 781
- Anodizing, 781
- ANSI, *see* American National Standards Institute
- Antifreeze sprinkler systems, 458
- APA Rated Sheathing, 813
- APA Rated Siding Panels, 814
- APM (automated people mover) system, 493
- Apollo, Temple of, 1020
- Applied edges, for countertops, 551
- Applied fireproofing, 285
 - of boards, 285
 - of calcium silicate boards, 285
 - encapsulants, 285
 - for exposed applications, 285
 - for floor loads, 68
 - sealers, 285
 - of slag-fiber boards, 285
 - topcoats, 285
- Aquariums, 642–643
 - commercial, 642
 - filtration system for, 643
 - monitoring and controlling, 643
 - public, 642
 - research aquatic facilities, 642
 - ventilation for, 643
- Aquatic facilities, 640–645
- Aquatic structures, 640–645
 - aquariums, 642–643
 - elevated swimming pools, 640–641
 - in-ground swimming pools, 641–642
 - tubs and pools, 643–645
- Aquifer systems, 863
- ARCC (Architectural Research Centers Consortium), 961
- Arches:
 - classical, 1026, 1028
 - masonry, 767
- ArchiCAD (Graphisoft), 950
- Architects, sustainable design and, 832
- Architectural and Transportation Barriers Compliance Board, 682, 895, 903
- Architectural area, 1037
- Architectural Barriers Act (ABA), 333, 895
- Architectural cladding panels, 133
- Architectural demolition, 663
- Architectural end match, 826
- Architecturally exposed structural steel framing (AESS), 77
- Architectural planning, 842–843
- Architectural research, 957–986
 - defining, 958
 - design research, 972–986
 - nature of, 958–960
 - process of, 958–960
 - quality of, 958
 - scholarship and, 960
 - social science research, 965–971
 - technical research, 961–964
- Architectural Research Centers Consortium (ARCC), 961
- Architectural shielding, 630
- Architectural Skylight (fabricator), 944
- Architectural woodwork, 821–828
 - core material, 825
 - facing material, 825–826
 - interior trim, 822–824
 - paneling, 821–822, 824–825
- Architectural Woodwork Institute (AWI), 546
- Architrave, 1020
- Arctic Circle, 8
- Area(s):
 - accessibility of, 925
 - architectural, 1037
 - audience, 513, 556
 - audiovisual viewing, 516
 - for burial preparation, 510
 - calculations for, 1036
 - catchment, 416
 - chemical storage, 526
 - chink, 608, 609
 - circulation, 1037
 - for commercial dining, 557–558
 - common, 925
 - construction, 1037
 - gross floor, 1037
 - high-wind, 230

- mechanical, 1037
 - net assignable, 1037
 - outdoor, 574
 - prayer, 510
 - private, 575
 - public, 925
 - in schools, 575
 - seating, 574
 - thermal expansion of, 1035
 - urban, 707–708
 - Arena football, equipment for, 539
 - Arid climates, 11
 - Armored cables, 469, 471
 - Artifact-driven research, 981
 - Artists-Blacksmiths Association of North America, 793
 - Art rooms, in schools, 579
 - ArupNAPA, 492
 - Asbestos, 665, 859
 - As-fabricated finishes, 780
 - Ashlar masonry, 774
 - ASHRAE, *see* American Society of Heating, Refrigerating, and Air conditioning Engineers
 - ASHRAE Handbook of Fundamentals, 191
 - “As low as reasonably achievable” (ALARA), 634
 - ASME (American Society of Mechanical Engineers), 528
 - Asphalt, porous, 678
 - Assembly buildings, 854
 - Assistive listening systems, 912
 - ASTM specifications:
 - for bricks, 763
 - for concrete, 750, 764
 - for granite, 772
 - for limestone, 772
 - for marble, 773
 - for mortar and grout, 753
 - for sandstone, 773, 774
 - for slate, 773
 - Athletic equipment, 539–545
 - for arena football, 539
 - for basketball, 539–540
 - for billiards, 540–541
 - for fitness, 540–541
 - for gymnastics, 542–543
 - for ice hockey, 543–544
 - for judo, 544
 - for karate, 544
 - for pocket billiards, 540–541
 - for soccer, 544
 - for table tennis, 545
 - for weightlifting, 545
 - for wrestling, 545
 - Athletic rooms, 611–612
 - ATMs, *see* Automated teller machines
 - At-rest soil pressure, 50
 - Atriums, 860
 - clean energy design of, 861, 862
 - efficient, 863
 - Audible alarms, 481
 - Audience area:
 - fixed multiple seating in, 556
 - seating area design for, 513
 - Audiology (hearing testing) spaces, 523
 - Audio-visual equipment, 516–520
 - in audio-visual viewing area, 516
 - in classrooms, 577
 - codec equipment, 519
 - displays, 518
 - microphones, 519
 - projection equipment, 518
 - projection screens, 518
 - speakers, 519
 - for video-conferencing, 516
 - Audio-visual systems, 485–487
 - Audio-visual viewing area, 516
 - Austenitic steel, 797
 - Autodesk Revit, 950
 - Auto-iris, 658
 - Automated bank equipment, 501–502
 - Automated book storage and retrieval systems, 511
 - Automated people mover (APM) system, 493
 - Automated teller machines (ATMs), 502
 - accessibility of, 502, 913
 - gang installation of, 502
 - Automatic banking systems, 912
 - Automatic closing, 285
 - Automatic door bottoms, 285
 - Automatic fire-rated openings, 304
 - Automatic safety shutdown system, 626
 - AWCMA (American Window Covering Manufacturing Association), 554
 - AWI (Architectural Woodwork Institute), 546
 - Awnings, 118–121, 602–603
- B**
- Backer, for joints, 162
 - Backfill and backfilling:
 - basement excavations and, 45
 - against basement walls, 50
 - Backflow prevention, 399–400, 702
 - Backflow prevention (BFP), 399–400
 - Background lighting, uniform, 477
 - Backscatter identification, 638
 - Backsplashes, 551–553
 - Backup systems, emergency, 488–489
 - Baffles, 481
 - Baggage handling equipment, 493, 494
 - Bakeries, equipment in, 530–531
 - Baker’s tables, in commercial food service, 530
 - Baking soda, 418
 - Balanced doors, 285
 - Balance matching, 826
 - Balconies, 181–182
 - Ballasts, 474
 - Ballistics-resistant construction, 638–640
 - Ball valves, 404
 - Balustrades:
 - classical, 1027
 - interior, 282
 - Bamboo flooring, 357
 - Banham, Reyner, 857
 - Banking systems, automatic, 912
 - Bank transaction equipment, 500–502
 - Banquettes, 558, 559
 - Bar(s), 560
 - area for, 557–558
 - equipment for, 532–534
 - Barber shops, 503, 5031
 - Bar codes, 482, 660
 - Barium ferrite technology, 660
 - Barrels, rigid-frame, 607
 - Barrel tiles, 229
 - Barrier walls, 64, 185, 214
 - BAS, *see* Building automation systems
 - Baseball fields, 600
 - Base cabinets, 550
 - Basecoats, for plaster, 343
 - Base isolation, seismic, 30–31
 - Basement construction, 40–54
 - excavations, 40–45
 - walls, 45–53
 - Basement excavations, 40–45
 - backfill, 45
 - compaction, 45
 - lateral support for, 42–44
 - open-cut, 40
 - shored, 40–42
 - soil stabilization, 44
 - Basement walls, 45–53
 - backfilling against, 50
 - concrete, 45
 - damproofing, 53
 - masonry, 46
 - soil pressure on, 50–51
 - thermal insulation, 53
 - thickness of, 46
 - treated wood, 48–49
 - vertical waterproofing, 52–53
 - Base shear (static analysis, equivalent lateral force), 13
 - Basketball, equipment for, 539–540
 - Basketball courts, 600
 - Basket racks, 312
 - Bathrooms, residential, 918–920, *See* under Toilet(s)
 - accessibility of, 919, 925
 - entry doors for, 919
 - fixtures for, *see* Toilet and bath fittings
 - grab bars in, 919
 - lavatories in, 920
 - maneuvering space in, 919
 - plumbing requirements of, 919
 - showers in, 920
 - water closets in, 919–920
 - Bathtubs, 394
 - accessibility of, 917
 - acrylic, 394

- Bathtubs, continued
 cast iron, 394
 fiberglass, 394
 standards for, 920–921
 Batten seam roofing, 244–245
 Bay, of metal building systems, 591
 Bayley, John Barrington, 1020
 Beam(s):
 cantilever, 1040–1041
 cantilevered, 90
 concrete forming for, 739–740
 continuous span, 90
 fixed, 1039–1040
 simple, 1038–1039
 unit masonry, 765–766
 Beam pattern (lighting), 475
 Beam-to-column formwork, 736
 Beauty shops, 503, 503l
 Beds, 562
 Bednar, Michael, 874
 Bedrock, 4
 Belowground construction, 863
 Bench assembly, 550
 Benches, in locker rooms, 311–312
 Bending, 779, 939
 Bent glass, 188
 Bentley Building suite, 949–950
 Bentonite waterproofing, 52
 Bermuda roof, 243–244
 Beveled edge, of acoustical panel ceilings, 368
 BFP (backflow prevention), 399–400
 Bibliographical ordering, 969
 Bicycle safety, 713
 Bidets, 391–392
 flushing action for, 391
 flushing mechanisms for, 392
 BIFMA (Business and Institutional Furniture Manufacturer's Association), 560
 Billiards, equipment for, 540–541
 BIM, *see* Building information modeling
 Biocapacity, 868
 Bioclimatic design, 854–855, 870
 Biological safety cabinets (BSCs), 614
 Biomes, 842
 Biometric readers, 660
 Biosafety levels (BSLs), 614
 BIPV (building-integrated photovoltaics), 455
 Birch, L.C., 852
 Bituminous waterproofing, built-up, 52
 Blackbodies, 474
 Blackout linings (draperies), 553
 Blackwater, 838
 Bladder molding, 944
 Blanket insulation, 122
 Blanking (metals), 779
 BLC (building-level controllers), 450
 Bleachers, 600–601
 Blend patterns, 346
 Blinds, 554
 Blinds, Venetian, 452
 Bloomfield, John, 969
 Blow counts (N-values, standard penetration test values), 7
 Blow molding, 940
 Blowout flushing, 391
 Blowtorches, oxyacetylene, 779
 Board(s):
 composite, 225
 fireproofing, 68
 fireproofing of, 285
 insulation, 53, 122
 Body ventilation, 989
 Boilers, 427–428
 BOMA (Building Owners and Managers Association), 1037
 Bonded cores, 287
 Bonded strain gauge, 650–651
 Book depositories, 512
 Book matching, 346, 826
 Book storage and retrieval systems, automated, 511
 Book theft protection, 511
 Booster heaters, 409
 Booster pumps, 407
 Booths, in restaurants and bars, 558
 Bored piles, 24, 27
 Boring log, 6–8
 Borrowed light, 184
 Boulders, 4
 Boxes:
 electrical, 469–470
 octagonal, 469
 Box beams, 596
 Boyer, Ernest, 960
 BPO (building performance evaluation), 966
 Braced-core structural steel framing, 76
 Bracing, 110
 Braille, 912
 Brake forming, 779
 Brand, Stewart, 843
 Brass, 778–779
 Brass (BR) piping, 401
 Braungart, Michael, 843, 844
 Brazed joints, 403
 Brazing (hard soldering), 780, 941–942
 Breathing gas supply, 617
 Breen, Jack, 973, 981
 Bricks, 684
 Bright finish process, 780
 Bronze, 778–779
 Brown coats, 343
 Brownfield remediation, 842–843
 BR (brass) piping, 401
 Brundtland, Gro Harlem, 832
 Brundtland Report, 832
 Brunette, Wendell, 879
 BSCs (biological safety cabinets), 614
 BSLs (biosafety levels), 614
 Bubbler heads, 702
 Bucks (door hardware), 285
 Buffed finishes, 780
 Building(s), 854–868
 bioclimatic design of, 854–855
 clean air and, 857–859
 clean energy and, 859–867
 community creation, 867
 daylighting, 855–857
 energy issues of, 867
 life of, 855, 868
 material use reduction, 867–868
 occupied, 859
 priorities for, 867–868
 recycle buildings, 867
 scale of, 854
 in seismic areas, 15–16
 sustainable design of, 854–868
 types of, 854
 waste management for, 868
 Building automation systems (BAS), 652–661
 access control systems, 658–660
 air filtration, 655–656
 alarm systems, 658
 climate control, 655
 clock control systems, 660
 commissioning and system operations, 654
 communications systems, 657
 conveying systems, 654, 660–661
 detection systems, 658
 electronic security systems, 656–657
 elevators, 654, 660–661
 EMCS, 654–655
 energy monitoring and control, 653
 environmental control, 655
 escalators, 654, 660–661
 fire alarm systems, 656
 humidity control, 655
 HVAC, 653–655
 indoor air quality, 656
 lighting, 654, 656
 moving walks, 660–661
 security systems, 656
 surveillance systems, 657–658
 wireless networks, 654
 Building code, 896
 Building Code Requirements for Structural Concrete and Commentary, 19
 Building design research, 981–984
 Building information modeling (BIM), 948–956
 with Allplan, 950
 with ArchiCAD, 950
 with Autodesk Revit, 950
 Bentley Building suite, 949–950
 CAD vs., 949
 core applications of, 949
 IFC building model, 955–956
 Loblolly house, Taylors Island, Maryland (example), 950–954
SectionFormat™ for, 1010

- Building-integrated photovoltaic (BIPV), 455
 Building-level controllers (BLCs), 450
 Building orientation, solar radiation and, 991–1002
 compass orientation, 995
 optimum, 991–992
 principles of, 995
 shadow construction, 993
 solar angles, 993, 997
 solar constant, 992
 solar irradiation, 1000–1002
 solar path diagrams, 997–999
 solar position, 999
 solar-surface angles, 999
 solar time and, 996–997
 thermal forces influencing, 995
 at true north, 994
 Building Owners and Managers Association (BOMA), 1037
 Building performance evaluation (BPO), 966
 Building population analysis, 382
 Building-related illnesses, 857
 Building section analysis, 173–174
 Building sitework, *see* Sitework
 Building systems research, 962
 Built-in heaters, 330
 Built-in lavatories, 393–394
 Built-in sinks, 393–394
 Built-in toilets, 393–394
 Built-up bituminous roofing, 234–237
 modified, 236–237
 surfacing for, 234
 temperature of, 234
 Built-up bituminous waterproofing, 52
 Bulbs, 474
 Bullivant Houser Bailey Law Firm (San Francisco, California), 371–374
 conference rooms in, 373
 methodology for, 372
 private offices in, 373
 secretarial stations in, 373
 technical systems of, 373
 Burglary-resistant vaults, 625
 Burial preparation areas, for mosques, 510
 Buried-cable detection assemblies, 640
 Business and Institutional Furniture Manufacturer's Association (BIFMA), 560
 Busways, 462
 Butt carriers, 554
 Butterfly valves, 404
 Butt-to base, 362
 Butyl sealants, 162
 B-vent flues, 329
- C**
- Cabinets:
 for fire-suppression, 458–460
 in hospitality rooms, 563
 shop-fabricated, 546
 Cable(s), 469–471
 Cable channels, 470
 Cable connections, 560
 Cable-nets, 605
 Cable-supported structures, 605–606
 fireproofing of, 605
 vibrations in, 605
 Cable television (CATV) distribution, 483–484
 Cable trays, 470
 Cable trusses, 605
 Cabling recorders, 652
 CAC (Ceiling Attenuation Class, CSTC, Ceiling Sound Transmission Class), 367
 CAD, *see* Computer-aided design
 CAD/CAM, *see* Computer-aided design/computer-aided manufacturing
 Calcium silicate boards, applied fireproofing for, 285
 Calendering, 350
 Cameras:
 digital video recorders, 658
 surveillance systems, 657–658
 thermal imaging cameras, 658
 usage guidelines for, 658
 Campus centers, for mosques, 510
 Candlepower distribution curve (CDC), 475, 477
 Canopies, 118–121, 602–603
 Cantilevered beams, 90, 1040–1041
 Capitals, 1020
 Carbon monoxide (CO), 656
 Carbon steel, 778, 797
 Carbon steel (CS) piping, 401
 Card technologies, 482–483
 Carpet flooring, 364–366
 carpet tile, 364
 class recommendations, 365
 construction of, 364
 density of, 364
 fiber types, 364
 installation of, 365
 knitted, 364
 needlepunched, 364
 traffic on, 365
 tufted, 364
 woven, 364
 Carpet tiles, 364, 365
 Carrels, 565
 Carriers, 554
 Case-in-place concrete slabs, 34–39
 dewatering, 38–39
 finish and floor flatness, 36
 slab-on-grades, 35–38
 subdrainage, 39–40
 Casements (draperies), 553
 Case (molded) tiles, 368
 Cash registers, 504
 Casings:
 for doors, 285
 ducts and, *see* Duct systems
 Castings:
 CAD/CAM and, 939–940
 centrifugal, 940
 die, 940
 investment, 940
 lost pattern, 940
 match plate, 940
 metals, 779
 rotary, 940
 white iron, 778
 Cast-in-place concrete, 747–751
 admixtures for, 747
 aggregate, 749
 basement walls, 45
 decorative coatings for, 751
 finishes, 748–751
 integral color, 748–749
 patching, 750
 protective coatings for, 751
 repair of, 750
 for retaining walls, 694–695
 supplementary cementitious materials, 747, 748
 surfaces, 748–751
 Cast-iron bathtubs, 394
 Cast-iron (CI) piping, 394, 401
 Cast stone veneers, 155
 Catalytic appliances, 331
 Catalyzed epoxy paint, 350
 Catch basins, 720–721
 Catches, for shop-fabricated cabinets, 549
 Catchment area, 416
 Catenaries, 608
 Cathedral glass, 187
 CATV (cable television) distribution, 483–484
 Caulked joints, 403
 Cavity drainage, 758
 Cavity walls, drained, 64, 185
 CBA (copper baron azole), 803
 CCA (chromated copper arsenate), 803
 CCTV, *see* Closed-circuit television systems
 CDC, *see* Candlepower distribution curve
 CDC (Centers for Disease Control and Prevention), 614
 C&D debris, *see* Construction and demolition debris
 CDU (coolant distribution unit), 444
 Ceiling(s), 367–370
 acoustical panel, 367–368
 acoustical tile, 368–369
 finishes for, 367–370
 light and, 860
 linear metal, 370–371
 “popcorn,” 665
 steel joist floor framing for, 78
 Ceiling Attenuation Class (CAC, CSTC, Ceiling Sound Transmission Class), 367
 Ceiling (paddle) fans, 989
 Ceiling-hung compartments, 306
 Ceiling Sound Transmission Class (Ceiling Attenuation Class, CAC, CSTC), 367

- Cellular desk systems, 472
- Cellular glass (expanded glass, “stink board”), 53
- Cellular raceways, 472
- Cement, masonry, 753–754
- Cementitious coatings, for EIFS, 162
- Cementitious waterproofing, 52
- Cement joints, 403
- Centers for Disease Control and Prevention (CDC), 614
- Center matching, 826
- Center projection, 620, 621
- Center table design, 550
- Central heating system, 448
- Central HVAC systems, 420–421
- Central (Friday, main) mosques, 510
- Central processing unit (CPU), 652
- Centrifugal casting, 940
- Ceramic(s):
 - as aggregate, 749
 - CAD/CAM and, 941
- Ceramic mosaic tiles, 351
- Ceramic slate roofing, 233
- Ceramic tile countertops, 552
- CFS (cold-formed steel), 79, 106–107
- Chamber environmental gas analysis systems, 617
- Chamber fire suppression system, 617
- Chamber lighting systems, 617
- Chamber suctioning systems, 617
- Chamber ventilation systems, 617
- Channel glass curtain walls, 213
- Charbroilers, in commercial food service, 529
- Checkout equipment, 504–505
 - self-service checkout equipment, 505
 - traditional, 504
- Checkroom equipment, 502–503
 - design considerations for, 502–503
 - hanging garment conveyors, 503
- Check valves, 404
- Chemical-based fire-extinguishing systems, 456
- Chemical cleaning, 780
- Chemical finishes, 780
- Chemical grouting, 33
- Chemically treated glass, 187
- Chemical sensitivity, multiple, 857
- Chemical storage areas, 526
- Chemical systems, for fire protection, 457
- Chemical welding, of sheet vinyl, 362
- Chests, in hospitality rooms, 563
- Children’s furnishings, in schools, 575
- Children’s Museum (Pittsburgh, Pennsylvania), 882
- Chilled water, 435, 436, 445
- Chimney(s), 321–325, 428
 - clay-tile masonry flues, 322
 - clearances for, 324, 428
 - construction of, 428
 - covered flues, 321
 - covered masonry cap, 324
 - heat generation of, 428
 - modern fire-resistance-rated metal flues, 323
 - open-top flues, 321
 - open-top metal flues, 324
 - for pellet stoves, 331
 - sizing of, 325
 - for stoves, 331
 - for woodstoves, 331
- Chimney breasts, 317, 318
- Chink area, 608, 609
- Chlorine, 418
- Chromated copper arsenate (CCA), 803
- Chromic anodizing, 781
- Chromium, 778, 779
- Chronological ordering, 969
- Churches, equipment for, 508
- Chutes:
 - conveying, 389
 - for laundry, 390
 - for linen, 390
 - for trash, 390
- CIE (International Commission on Illumination), 475
- CIM (computer integrated manufacturing), 947
- CI piping, *see* Cast-iron piping
- Circuit breakers, 463
- Circular stairs, 340
- Circulation areas, 1037
- Circulation paths, 902
- Cisterns, 416, 417
- Civil rights laws, 896
- Clarity, 958
- Classical America Society, 1020
- Classical architecture elements (orders), 1020–1031
 - arches, 1026, 1028
 - balustrades, 1027
 - canonical, 1020–1021
 - classical revival design, 1021
 - in contemporary practice, 1021
 - doors, 1028
 - empathy and, 1021–1022
 - entasis, 1025
 - evolution of, 1021
 - expression of, 1021
 - flutes, 1025
 - graphic standards and, 1020
 - harmony with, 1021
 - hidden, 1030–1031
 - humanism and, 1021–1022
 - intercolumnation, 1026
 - life of, 1020
 - meaning of, 1021
 - moldings, 1022–1024
 - as organism, 1020
 - origins of, 1020
 - pediments, 1028
 - pilasters, 1025
 - proportion in, 1021
 - rustication, 1029
 - superposition, 1027
 - transformation of, 1021
 - in twenty-first century, 1020
 - volute, 1025
- Classical revival design, 1021
- Classicism, 1020
- Classroom design, 577–578
- Classroom latches, 291
- Clay masonry:
 - brick veneer on studs, 138–140
 - HAM and, 137, 138
 - structural backup, 137
 - unit masonry, 763–764
 - walls, 137–140
- Clay soils, 4, 18
- Clay tile(s):
 - glazed, 351
 - for masonry flues, 322
 - for roofing, 229
- Clean Air Act, 665
- Clean-burning fireplaces, 325
- Clean energy, 859–867
 - alternate systems for, 862–863
 - analysis for, 863–864
 - with atrium design, 861, 862
 - with daylighting, 862
 - with direct gain systems, 866
 - energy conservation strategies, 859–861
 - in facility buildings, 863
 - integrated building systems for, 863
 - with natural cooling, 861
 - nonresidential buildings, 859–861
 - with passive solar cooling, 864–865
 - with passive solar heating, 861, 864–866
 - with south glazing, 866
 - thermal storage, 863, 866
- Clean rooms, 613–614
- Clearances:
 - for chimneys, 324, 428
 - for masonry fireplaces, 318
 - for stoves, 332
 - for window treatments, 553, 554
- Clear repellents, 161–162
- Clerestories, 184, 856, 866
- Climate(s), 8–11, 989–990
 - affecting building shell, 64–66
 - buffering, 860
 - cold and permafrost climates, 9
 - cold and underheated climates, 10
 - control of, 655, 989
 - data, 989
 - evaporative space cooling, 989
 - foundation issues, 8–11
 - heating degree days, 990
 - hot arid climates, 11
 - humid, overheated climates, 11
 - solar flows, 837
 - terminology for, 989
 - thermal mass, 989
 - ventilation, 989
- Clip mounting, 158
- Clock control systems, 660
- Windows, 1029

- Closed-circuit television systems (CCTV), 617, 657
- Closing, automatic, 285
- CNC, *see* Computer numeric control
- CO (carbon monoxide), 656
- Coarse grout, 754
- Coat area, of mosque, 510
- Coated foam roofing, 238
- Coated glass, 188
- Coatings:
- conversion, 780
 - fire-retardant, 350
 - on interior walls, 350
 - for metals, 780–781
 - multicolor, 350
 - organic, 780
 - powder, 780
 - thermoplastic, 780
 - vitreous, 781
- Cobalt, 778
- Cobbles, 4
- Codeq equipment, 519
- Cofferdams, 41
- Cohen, Uri, 959
- Cohesionless soils, 4
- Cohesive soils, 4, 5
- Coil(s), metal, 797
- Coiling doors, 220–221
- Coiling fire doors, 302–303
- Coining, 779
- Cold climates:
- and permafrost climates, 9
 - shell affected by, 66
 - and underheated climates, 10
- Cold-formed metal bracing, 165–171
- Cold-formed metal framing, 165–171
- Cold-formed steel (CFS), 79, 106–107, 137
- Cold joints, 354
- Cold-rolled steels, 798
- Cold storage, floorless, 615
- Cold storage rooms, 614–616
- Collective wisdom, 871
- Collector arrays, 455–456
- Colluvial soils, 4
- Colorado Court, 884–889
- Color rendering index (CRI), 474
- Color temperature, 474, 855, 856
- Columns, 765–766, 1020
- Combination oven-steamers, 530
- Combination starters, magnetic, 462
- Combustion air, masonry fireplaces and, 317
- Comfort, seating area design for, 513
- Commercial aquariums, 642
- Commercial food service equipment, 527–534
- in bakeries, 530–531
 - bar equipment, 532–534
 - bars, 532–534
 - cooking, 529–530
 - dishwashing equipment, 531–532
 - food preparation, 529
 - waitstaff stations, 532
 - wine storage, 534
- Commissioning and system operations, 654
- Common areas, 925
- Communication systems (CS), 657
- accessibility of, 912–913
 - in hyperbaric rooms, 617
- Communion tables, 509
- Community creation, 867
- Community design, 834, 851–853
- AIA's principles for livable communities, 852–853
 - change and, 851
 - community form, 851
 - density, 852
 - growth and, 851, 852
 - involvement in, 851
 - measure of, 870
 - mobility, 852
 - permaculture, 852
 - smart growth of, 852
 - sustainable infrastructure, 851, 852
- Compacted graphite iron, 778
- Compact fluorescent lamps, 479
- Compaction, 45
- Compaction grouting, 34
- Compactors, for solid waste handling, 526–527
- Compartments, for toilet and bath, 306–308
- Compass orientation, 995
- Complete-penetration groove welds, 784
- Composite boards, 225
- Composite decking, 98
- Composite drainage board, 53
- Composite fire doors, 306
- Composite roofing tiles, 232–233
- ceramic slate, 233
 - mineral-fiber cement, 232
- Composite veneers, 296
- Compound parabolic concentrator (CPC), 452
- Compression, elastic, 19
- Compression coupling joints, 403
- Compression gasket joints, 403
- Compression molding, 940
- Compressors, for refrigeration, 438
- Computer-aided design (CAD), 949, 1011–1013
- AIA CAD layer guidelines, 1012
 - tri-service plotting guidelines, 1012
 - uniform drawing system modules, 1012
- Computer-aided design/computer-aided manufacturing (CAD/CAM), 933–947
- for adhesives, 942
 - for brazing, 941–942
 - for casting, 939–940
 - for ceramics, 941
 - computer numeric control, 937–938, 946
 - for deformation, 939
 - design environment for, 936–937
 - digital modeling and, 947
 - fused deposition modeling, 943
 - for glass, 941
 - information technology and, 947
 - ink-jet printing for, 943
 - Kimmel Center for the Performing Arts, Philadelphia, Pennsylvania (example), 934–935
 - laminated object manufacturing, 942
 - manufacturing environment, 937–946
 - for material removal, 938–939
 - for mechanical fasteners, 942
 - for molding, 939
 - nesting software for, 936
 - parametric modeling, 936
 - Porter House, Manhattan, New York (example), 935–936
 - production strategies for, 947
 - rapid-prototyping tools, 942
 - reinforced sheets/tapes, 943
 - selective laser sintering, 942–943
 - for soldering, 941–942
 - Solidworks software for, 936, 937
 - stereolithography apparatus, 942
 - .sti file format for, 942
 - D modeling, 936
 - for welding, 941–942
- Computer integrated manufacturing (CIM), 947
- Computerized analysis, 174
- Computerized energy management, 450–451
- Computer modeling, 856
- Computer numeric control (CNC), 937–938
- basics of, 937
 - machine control and operation, 946
 - processes, 938
 - types of, 937–938
- Computer room air-conditioning, 444–445
- downflow and upflow systems, 444
 - estimating cooling loads for, 445
 - heat rejection methods for, 444–445
 - planning issues with, 445
 - redundancy in, 444
 - standards for, 444
 - types of, 444
 - vapor barriers in, 444
- Computing technologies, 932–956
- building information modeling, 948–956
 - CAD/CAM, 933–947
 - Concentrated loads, 67
 - Concentrating collectors, 452
 - Concrete, 735
 - as aggregate, 749
 - cast-in-place, 747–751
 - insulating, 225
 - porous, 678
 - recycled, 749
- Concrete basement walls, 45
- Concrete Change (Web site), 893
- Concrete floor framing, 68, 73–75
- post-tensioned, 73, 74
 - precast, 74–75
 - prestressed, 73, 74
- Concrete forming, 736–741
- accessories for, 740–741

- Concrete forming, continued
 - beam-to-column formwork, 736
 - footings, 736
 - joints, 736
 - lumber forms, 737
 - panels, 736
 - for slabs and beams, 739–740
 - spandel beams, 737
 - tie patterns, 736, 737
 - ties for, 740–741
 - tilt-up concrete, 737
- Concrete masonry units, 134–136
 - HAM and, 135
 - performance of, 135
 - unit masonry, 764–765
- Concrete mix, for slab-on-grades, 35
- Concrete reinforcing, 742–746
 - fibrous, 742
 - placement of, 745–746
 - of steel, 742
 - stressing tendons, 742
 - welded wire fabric reinforcing, 742
- Concrete slabs, case-in-place, 34–39
- Concrete stairs, 335–336
- Concrete tiles, for roofing, 229
- Condensation:
 - building section analysis for, 173–174
 - computerized analysis for, 174
 - in exterior walls, 173–174
 - exterior walls and, 173–174
 - glazing materials and, 191
 - in plumbing, 391
 - windows and, 185
- Condensers, 437–438
- Condensing furnaces, 431–432
 - heat generation of, 431–432
 - induced draft, 431
 - venting, 431
- Conductive tiles, 351
- Conduits, 468–469
- Cone-shaped tensile, 607
- Conference rooms, 570–573
 - conference tables in, 572–573
 - finishes for, 570
 - large, 572
 - lighting for, 570
 - medium, 571
 - movable multiple seating for, 570–573
 - small, 571
- Conference tables, 572–573
- Connectivity measures, 870
- Consolidation (soils), 5
- Constants, 1035
- Constant-volume dual duct (CVDD), 440–441
- Constant-volume multizone air distribution systems, 441
- Constant-volume multizone ducts (CVMZ), 441
- Constant-volume single-duct system, 439
- Constant-volume single-duct with terminal reheat, 439
- Constructed stormwater wetlands, 716
- Construction adhesives, 805–806
- Construction and demolition (C&D) debris, 845, 849
- Construction area, 1037
- Construction dewatering, 38–39
 - considerations for, 38–39
 - deeps wells, 38
 - ditching, 38
 - wellpoints, 38
- Construction information systems, 1006–1010
 - MasterFormat™, 1006, 1009–1010
 - OmniClass Construction Classification System™, 1006–1007
 - SectionFormat™, 1010
 - UniFormat™, 1006–1008
- Construction joints, 354
- Containers, for solid waste, 526–527
- Continuous dimming, 451
- Continuous edge grip, 158
- Continuous span beam systems, 90
- Contract documents (MasterFormat™), 1009
- Contraction, *see* Control joints
- Contrast control, 476
- Controls commissioning, 452
- Control (contraction) joints:
 - in slab-on-grade, 35
 - in tile installation, 354
- Controller (irrigation), 702
- Control panels, in elevators, 907–908
- Convection heat, from stoves, 330
- Convection (radiant) heaters, 330
- Convection ovens, in commercial food service, 530
- Convection steamers, 529
- Conventional spraying, 780
- Conventional venting, from stoves, 332
- Convergence, 654
- Conversion coatings, 780
- Convertible furniture, 562
- Conveyance, in TPIA, 493
- Conveying, 376–390
 - chutes, 389
 - configurations for, 376
 - controls for, 376
 - design considerations for, 376
 - dumbwaiters, 389
 - elevators, 376–384
 - escalators, 384
 - interfaces for, 376
 - material processing and handling equipment, 386–389
 - moving walks, 385–386
 - rain water harvesting systems, 417
- Conveying chutes, 389
- Conveying systems, 654, 660–661
- Conveyor oven, in commercial food service, 530
- Cooktops, in residential kitchens, 536–537
- Coolant distribution unit (CDU), 444
- Cooling:
 - earth, 865
 - evaporated, 595
 - evaporative space, 989
 - flywheel, 865
 - in greenhouses, 595
 - natural, 861
 - passive solar, 864–865
 - radiative, 865
 - site, 865
 - vapor, 865
 - ventilative, 865
- Cooling loads, 445
- Cooling systems:
 - mainframe, 444
 - with solar energy, 454
- Cooling towers, 436–437
- Cool Roof Rating Council, 871
- Cool roofs, 226
- Coordinators (device), for doors, 285
- Copings, 176, 206
- Copper, 778–779
- Copper baron azole (CBA), 803
- Copper naphthenate, 803
- Copper tube (CU) piping, 401
- Core material (woodwork), 825
- Cores, of interior doors, 287–288
- Cork flooring, 362
- Corner guards, 312–313
- Corner offices, 568–569
- Corridor kitchens, 535
- Corridor layout, 535
- Corridor side, of doors, 287
- Corrosion:
 - of metal, 779
 - protection from, 755
- Corrosion-resistant steels, 798
- Corrugated (formed sheet metal) roofing, 246–247
- Cost data applications (MasterFormat™), 1010
- Cost information arrangements (UniFormat™), 1008
- COTE Top Ten Green Projects (AIA), 832, 869–871
- Counters, 558
- Counterflashing assemblies, 256–258
- Countertops, 551–553
 - applied edges for, 551
 - ceramic tile, 552
 - postframed edge for, 551
 - in restaurants and bars, 558
 - self-edge nosing for, 551
 - solid laminated wood, 551
 - solid-surface backsplash, 552
 - solid-surface countertop edge, 552
 - stainless steel, 553
 - stone, 553
 - wood veneer, 551
- Courthouses, 854
- Courtyards, 860
- Cove base, 362
- Covered flues, 321
- Covered masonry cap, 324
- Coverings, for walls, 350–351

- CPC (compound parabolic concentrator), 452
 CPTED, *see* Crime prevention through environmental design
 CPU (central processing unit), 652
 Crash bars, 659
 Crawler-type cranes, 27
 Crawlspace, 98–99
 Creosote-treated wood, 802
 Crewe, Katherine, 960
 CRI (color rendering index), 474
 Crime prevention through environmental design (CPTED), 482, 635, 1018
 Cross-flow spray booth, 625
 Crown growth, 707
 CS, *see* Communication systems
 CS (carbon steel) piping, 401
 CSTC (Ceiling Attenuation Class, CAC, Ceiling Sound Transmission Class), 367
 C steel shape, 786
 Cubicles, for toilet and bath, 306–308
 CU (copper tube) piping, 401
 Curbs:
 accessibility of, 902–904
 support equipment for, 261
 Curtains, stage, 515
 Curtain walls, 205–213
 channel glass, 213
 characteristics of, 205–206
 design research for, 984–986
 detailing for, 206
 double façade, 213
 installation of, 206–211
 performance of, 206
 specialized, 211–212
 for windows, 205–213
 Curved-eave solarium, 596
 Custom playground equipment, 692
 Cut stone, 772
 Cutting:
 hot-wire, 938–939
 oxy-fuel, 938
 plasma, 938
 CVDD (constant-volume dual duct), 440
 CVMZ (constant-volume multizone ducts), 441
 Cycloramas (drops), 515
 Cylinder (of a lock), 290
 Cylinder locks, 290
 Cylindrical locksets, 287
- D**
- Damproofing, of basement walls, 53
 Data file naming (*MasterFormat*[®]), 1009
 Daylight, 475
 Daylight harvesting, 495
 Daylighting, 452, 855–857, 862
 color rendition, 856
 color temperature, 856
 controls, 857
 design values and, 855–856
 fixtures, 857
 glass selection for, 856
 modeling, 856
 reflectivity, 856
 skylights for, 860
 systems integration, 855
 tips for, 860
 DDC (deep dynamic compaction), in Visteon Village, 60
 DDCs (direct-digital controllers), 451
 Deadbolts (of a lock), 290
 Decay, of wood, 608, 802
 Decay-resistant wood, 802
 Decimal equivalents, 1032
 Decks and decking, 92–98
 composite, 98
 concrete forming for, 739–740
 for elevated swimming pools, 641
 filigree slabs, 93
 metal floor, 93–94
 metal floor decking, 93–94
 paving and, 679
 precast concrete, 92, 93
 roof, 115–116
 wood decking, 94–98
 Declaration of interdependence, 843
 Decomposition, 973
 Decorative gas appliances, 332
 Decorative laminates, 825
 Decorative metals, 793–798
 Decorative pools, 689–691
 considerations for, 689
 water quality of, 690
 Decorative silk-screened (frit) glass, 189
 Decorative thin-wall tiles, 351
 Deep drawing process, 939
 Deep dynamic compaction (DDC), in Visteon Village, 60
 Deep foundations, 24–28
 bored piles, 24, 27
 driven piles, 24
 means and methods for, 27
 pile caps, 26
 testing, 28
 Deep wells, 38, 39
 Deformation, CAD/CAM and, 939
 Degrees, 1034
 de Jong, Taeke, 973
 Delayed egress services, 660
 Delivery subsystems, 421
 Deluge fire-suppression sprinkler systems, 458
 Deluge system, 617
 Deluge valve, 458
 Demolition, 589, 662–674
 architectural, 663
 of asbestos, 665
 code compliance, 662, 664
 of Diagnostic and Treatment Facility, Brooklyn, New York, 667–670
 egress and, 663
 of electrical system, 663–664
 environmental controls, 663, 664
 fire protection and, 664
 furniture and equipment, 662
 of hazardous materials, 663–666
 HVAC, 663
 of information technology, 663, 664
 job-site safety during, 663
 of lead/lead-based paint, 666
 life safety during, 663
 of mechanical, electrical, plumbing, 663
 minor, 662–674
 of One Liberty Plaza Office, New York City, New York, 671–674
 phasing, 662, 664
 of plumbing, 664
 of polychlorinated biphenyls, 666
 preparation for, 662
 protection during, 662–664
 recycling and, 665
 for remodeling, 662–674
 rubbish removal and, 664–665
 salvage, 662
 scheduling, 662, 664
 of selective structures, 664–665
 shoring for, 662–664
 sustainable design, 662, 664, 665
 temporary protection during, 662–664
 waste management for, 665, 844–845, 868
 Dental operatories equipment, 523
 Department of Housing and Urban Development (HUD), 859, 896
 Fair Housing Act and, 924–925
 FHA and, 924–925
 Desiccation (soils), 5
 Design, study by, 972
 Design-build applications (*UniFormat*[®]), 1008
 Design earthquakes, 13
 Design for disassembly (DfD), 844–845
 Design for recycling (DfRecycle), 844
 Design for reuse (DfReuse), 844
 Design research, 972–986
 building design research, 981–984
 for curtain wall design (example), 984–986
 site research, 974–980
 Design study, 972
 Desks, in schools, 579
 Desk systems, 472
 Destination-oriented elevators, 907
 Detection:
 equipment for, 500
 systems for, 482, 658
 vaults for, 500
 Detectors, 482
 Detention equipment, 520
 Dewatering, 38–39
 of case-in-place concrete slabs, 38–39
 construction, 38–39
 permanent, 39

- DF (drinking fountains), 395–396
 DfD (design for disassembly), 844–845
 DfRecycle (design for recycling), 844
 DfReuse (design for reuse), 844
 Diagnostic and Treatment Facility (Brooklyn, New York), 667–670
 Dialysis modules, 522
 Die casting, 940
 Differential settlement, 18–19
 Diffusers, 444
 Digital fabricators, 942
 Digital light processing (DLP), 518
 Digital modeling, CAD/CAM and, 947
 Digital recorders, 652
 Digital video recorders (DVRs), 658
 Dimensional ratio (DR), 401
 Dimension stone, 359
 Dimming, of lighting, 475
 Dining areas, commercial, 557–558
 Dipping, 780, 781
 Direct-beam penetration, 856
 Direct-digital controllers (DDCs), 451
 Direct expansion coil (DXC), 422
 Direct-expansion HVAC systems, 423
 Direct gain systems, 866
 Direct glue-down, 365
 Directional signs, 902
 Directional textured finishes, 780
 Direct lighting, 475
 - ambient lighting vs., 475
 - indirect ambient lighting vs., 475
 Direct-vent flues, 329
 Direct venting, 332–333
 Disassembly, design for, 844–845
 Discipline and trade jurisdictions (*MasterFormat*[™]), 1009
 Disconnect switches, 463
 Dishwashing equipment, 531–532, 923
 Disinfection, for rain water harvesting systems, 418
 Dispense/deposit units (ATMs), 502
 Dispense-only units (ATMs), 502
 Displays, 523
 Display media, in classrooms, 577
 Disposal Regulations and Toxic Substances Control Act (TOSCA), 666
 Distortion, angular, 18
 Distribution subsystems, 421
 District HVAC system, 420
 Ditching, 38
 Diurnal rhythms, 842
 DLP (digital light processing), 518
 Dome(s), 416, 601–605
 - awnings and canopies, 602–603
 - exterior aluminum sphere domes, 604
 - exterior domed fiberglass structures, 603
 - fiberglass structures, 603
 - glass-fiber-reinforced plaster fabrications, 603
 - glued-laminated wood domes, 603
 - observatory, 601–602
 - space frame domes, 604
 “Dome-peak,” 603
 Dome shutters, 601
 Domestic water distribution, 399–400
 Domestic water heaters, 408–409
 - booster heaters, 409
 - hot water temperature maintenance, 409
 - instantaneous-type, 409
 - relief valve discharge, 409
 - sizing, 408
 - storage-type, 408, 409
 - types of, 409
 Door(s), 285–306
 - accessibility of, 925
 - acoustic, 627
 - air barriers and, 214
 - classical, 1028
 - construction of, 285–306
 - exterior, 213–223
 - glass entrances, 214–215
 - hollow metal doors, 213
 - in hyperbaric rooms, 617
 - interior, 285–303
 - pocket, 882
 - prehung, 213
 - residential prehung doors, 213
 - revolving, 215–220
 - sectional, 221–223
 - special types, 220–223
 - steel, 299
 Door bevels, 285, 287
 Door bolts, 290
 Door bottoms, automatic, 285
 Door closers, 294–295
 Door control, 660
 Door handles, 291
 Door holders, 294–295
 Doorstops, 290
 Doric order, 1020
 Dormers, 184
 Double-acting interior doors, 287
 Double check valves, 399
 Double-egress doors, 285
 Double facade curtain walls, 213
 Double glue-down, 365
 Double line joint sealants, 162
 Double membrane, 590
 Double system jet grouting, 33
 Downdraft spray booths, 625
 Downflow systems, 444
 Downspouts, 250–251
 DR (dimensional ratio), 401
 Drafts, for stoves, 331
 Drainage:
 - in kennels, 649
 - with low slope roofs, 225–226
 - rain water, 415–418
 - sheet waterproofing, 240
 Drainage board, composite, 53
 Drainage fabrics, 710
 Drainage plane walls, 64, 185, 214
 Drainage systems, subsurface, 711–712
 Drainage-type (sanitary) fittings, 402
 Drained cavity walls, 64, 185, 214
 Draperies, 553–554
 Drapery carriers, 554
 Drawing process (metals), 779, 939
 Drawings organization:
 - MasterFormat*[™] for, 1010
 - UniFormat*[™] for, 1008
 Dressers, in hospitality rooms, 563
 Dressing rooms, 310
 Drift, 13
 Drills, 938
 Drilled tieback (ground) anchors, 43
 Drinking fountains (DF), 395–396
 Drip emitters, 702
 Driven piles, 24
 Drops (cycloramas), 515
 Dry-chemical fire-extinguishing systems, 457
 Dry coolers, 438
 Dry gasketed joints, 158
 Dry glazing, 206
 Drying room, 310
 Dry-pipe sprinkler systems, 458
 Dry pipe valves, 458
 Dryset mortars, 352
 Dual-duct air distribution, 443
 Dual membranes, 590
 Ductile irons, 778
 Ductility, 13
 Duct systems, 441–444
 - constant-volume dual duct, 440–441
 - constant-volume multizone ducts, 441
 - constant-volume single-duct, 439
 - dual-duct air distribution, 443
 - fan-coil air distribution, 443
 - induction air distribution, 444
 - multizone air distribution, 442
 - radiant panel, 444
 - single-zone air distribution, 442
 - terminal reheat air distribution, 443
 - variable air volume air distribution, 442
 - variable-volume single-duct, 440
 Dumbwaiters, 389
 Dunnage, 261
 DVRs (digital video recorders), 658
 DXC (direct expansion coil), 422
 Dynamic analysis (seismic design), 13
 Dynamic load test, 28

E

- Early childhood classrooms, 575
 Earth beams, 860
 Earth cooling, 865

- Earthquakes, 12. *See also under* Seismic
- Earth-sheltered design, 849
- EAS, *see* Electronic article surveillance
- Ease of passage, seating design for, 513
- Eaves, 591
- Ecclesiastical equipment, 508–511
 - altars, 509
 - churches, 508
 - communion table, 509
 - mosques, 510–511
 - pews, 508
 - pulpits, 509
 - synagogues, 509–510
- Echo and echo/stress treatment rooms, 512
- Eco-efficiency, 832
- Eco-industrial parks, 851
- Ecological design, 832, 870
- Ecological literacy, 835
- Economy-ecology equity, 832
- Economy grade doors, 296
- Ecosystems, 842–843
 - architectural planning for, 842–843
 - biomes, 842
 - brownfield remediation, 842–843
 - concepts of, 842
 - disruption of, 842
 - greenfield development, 842–843
 - interdependence, 843
 - monoculture and, 842
 - organizational efforts for, 843
 - regeneration of, 842–843
 - soil of, 842
 - sustainable design of, 842–843
 - sustainable forestry, 843
- Ecotone, 842
- ECUs (environmental control units), 648
- Edging:
 - for acoustical panel ceilings, 367–368
 - beveled, 368
 - square, 367
 - tegular, 367
- EDM (electric discharge machining), 938
- Efficacy, 474
- Egress:
 - delayed, 660
 - demolition and, 663
 - security of, 1017
- EIA/TIA (Electronics Industry Association/Telecommunications Industry Association), 483
- EIFS (Exterior Insulation and Finish Systems), 161
- Elastic compression, 19
- Elastomeric coatings, 162
- Elastomeric plastics, 749–750
- Electrical boxes, 469–470
- Electrical lighting, in classrooms, 577
- Electrical outlets, 925
- Electrical panelboards, 462
- Electrical services, 462–490
 - busways, 462
 - cables, 469, 470
 - circuit breakers, 463
 - for communications and safety, 481–487
 - conduits, 468–469
 - disconnect switches, 463
 - electrical boxes, 469–470
 - electrical panelboards, 462
 - electric wiring, 464–466
 - emergency backup systems, 488–489
 - floor wiring systems, for workstations, 471–474
 - fuses, 463
 - lighting, 474–481
 - lightning protection, 489–490
 - motor starters, 462
 - outlets, 467
 - plates, 467
 - raceways, 468–469
 - residential electric wiring, 464–466
 - substations, 462
 - surface-mounted raceways, 468–469
 - switchboards, 462
 - switches, 467
 - uninterruptable power supply, 487–488
- Electrical systems, 560, 663–664
- Electrical utilities, 722–723
- Electric control valve, 702
- Electric discharge machining (EDM), 938
- Electric heating systems, 447–448
 - central heating system, 448
 - forced-air units, 448
 - infrared heating units, 448
 - natural convection units, 447–448
- Electric strikes, 290, 660
- Electric traction elevators, 377–379
- Electric water coolers, 395–396
- Electric wiring, residential, 464–466
- Electrified exit devices (panic bars, panic hardware), 285, 659, 660
- Electrified mortise locks, 660
- Electrodeposition, 780
- Electromagnetic Interference (EMI), 794
- Electronic anemometers, 650
- Electronic article surveillance (EAS):
 - for banks, 500
 - for libraries, 511
- Electronic article surveillance devices, 500
- Electronic security systems, 656–657
- Electronics Industry Association/Telecommunications Industry Association (EIA/TIA), 483
- Elementary classrooms, 576
- Elevated swimming pools, 640–641
- Elevated water tanks, 407
- Elevator(s), 376–384, 654, 660–661
 - accessibility of, 901
 - control panels in, 907–908
 - destination-oriented, 907
 - electric traction elevators, 378–379
 - elevator cars, 376
 - emergency communications in, 907
 - freight, 377, 381–382
 - freight elevators, 381–382
 - hoistway, 376
 - hydraulic elevators, 379–381
 - impact loads of, 68
 - installation of, 377–378
 - limited-use/limited-application, 908
 - lobbies for, 376
 - machine rooms, 376
 - passenger, 377
 - residential, *see* Residential elevators
 - residential elevators, 382–384
 - types of, 376–377
 - uses of, 376–377
- Elevator cars, 376, 383, 907–908
- Embedded flashing, 758
- Embedded strain gauge, 651
- Embodied energy, 845–846
- Embossed cards, 483
- Embossing, 779
- EMCS, *see* Energy management and control systems
- Emergency air supply systems, 617
- Emergency backup systems, 488–489
- Emergency communications, 907
- Emergency exhausts, 617
- Emergency oxygen supply systems, 617
- EMI (Electromagnetic Interference), 794
- Empathy, in classical architecture, 1021–1022
- Enameled steel bathtubs, 394
- Encapsulants, 285
- End matching, 826
- End-match patterns, 346
- Endoscopy rooms, 523
- Energy, 867
 - affecting shell, 64
 - computerized management of, 450–451
 - conservation strategies, 859–861
 - control of, 653
 - embodied, 845–846
 - of glazing materials, 193
 - of lighting, 475
 - with lighting control systems, 451
 - of materials, 845–846
 - monitoring, 653
 - performance of, 193
 - renewable, 836
 - savings with, 451
- Energy conservation design, 836
- Energy-efficient lighting, 860
- Energy externalities, 836
- Energy flows, 871
- Energy management and control systems (EMCS), 450–451, 654–655
- Engineered flooring, 357
- Engineered wood panels, 143
- Engineers (sustainable design), 833
- Entasis, 1025
- Enterprisewide systems (ES), 450
- Enterprise zones, 851

- Entertainment systems, 617
- Entrance doors, 213
accessibility of, 925
all-glass, 301
aluminum, 213
for bathrooms, residential, 919
floor mats at, 556
glass, 213
- Entry latches, 291
- Environment, 868
- Environmental control, 655
- Environmental control units (ECUs), 648
- Environmental Protection Agency (EPA), 859
on asbestos, 665
on brownfields, 842
Disposal Regulations and Toxic Substances Control Act (TOSCA), 666
on indoor air pollution, 850
National Emissions Standards for Hazardous Air Pollutants (NESHAP), 665
- EPA, *see* Environmental Protection Agency
- EPDM (ethylene propylene diene monomer) roofing, 237
- Epoxyes, 162
- Epoxy ester paint, 350
- Epoxy grout, 353
- Epoxy mortars, 353
- Epoxy paint, 350
- EPS, *see* Expanded polystyrene
- Equipment, 499–545. *See* Furnishings
athletic, 539–545
checkroom equipment, 502–503
commercial food service, 527–534
food service, 527–534
institutional, 508–524
laundry equipment, 506–507
maintenance, 526
mercantile equipment, 504–506
residential, 534–539
security and vault equipment, 500
solid waste handling, 526–527
teller and service equipment, 500–502
vehicular, 524–525
vending equipment, 507–508
- Equitable use, 875–879
- Equivalent lateral force (base shear, static analysis), 13
- Erosion control, 676–677
- Error tolerance, 882
- ES (enterprisewide systems), 450
- Escalators, 384, 654, 660–661
- ESCS (expanded shale, clay, or slate), 679
- Etched finishes, 780
- Ethics, 875
- Ethylene propylene diene monomer (EPDM) roofing, 237
- Evacuated tubes, 452
- Evaporated cooling, 595
- Evaporative condensers, 437–438
- Evaporative space cooling, 989
- Exam rooms, 522–523
- Excavations, 40–45
backfill, 45
compaction, 45
external support for, 43–44
internal support for, 42–43
issues with, in soil studies, 5
lateral support for, 42–44
open-cut, 40
shored, 40–42
soil stabilization, 44
- Exhaust, emergency, 617
- Exhaust (whole-house) fans, 595, 989
- Exit devices, 290
- Expanded glass (cellular glass, “stink board”), 53
- Expanded polystyrene (EPS):
in foundations, 53
in Visteon Village, 60
- Expanded shale, clay, or slate (ESCS), 679
- Expansion joints, 163, 354
- Expansive soils, 8
- Explosive forming, 939
- Exposed aggregate, 749
- Exposed applications, 285
- Extended detention wetlands, 717
- Exterior aluminum sphere domes, 604
- Exterior climate, 64–65
- Exterior domed fiberglass structures, 603
- Exterior domes, 603, 604
- Exterior doors, 213–223
accessibility of, 213
coiling doors and grilles, 220–221
design considerations for, 213–214
glass entrances, 214–215
hardware for, 217–219
installation of, 214
revolving, 215–217
sectional, 221–223
special types, 220–223
- Exterior enclosures:
doors, 213–223
walls, 124–184
windows, 184–213
- Exterior Insulation and Finish Systems (EIFS), 161
- Exterior security, 634–637
- Exterior soffits, 183–184
- Exterior stairs, 687–688
- Exterior walls, 124–184
adhered veneers, 140–141
air barriers for, 174–175
assemblies for, 124–128
balconies, 181–182
clay masonry, 137–140
cold-formed metal framing and bracing, 165–171
concrete masonry units, 134–136
condensation and, 173–174
construction of, 165–171
copings, 176
glass fiber-reinforced concrete, 133–134
glass masonry units, 142–143
gravel stops, 176–177
guardrails, 181–182
HAM and, 158
insulated metal panel wall assemblies, 157–158
insulating concrete forming, 143
metal cladding panels, 158
metal louvers, 177–179
openings, 168–170
panelized wall cladding, 155–156
parapets, 175–176
precast concrete, 130–133
rainscreen panels, 143–144
seismic forces on, 170–171
shading devices, 180
sheathing for, 171–173
siding, 148–150
soffits, 183–184
stone panels, 150–151
stone spandrel at foundation, 152–155
structural panels, 145–146
stucco, 146–147
tilt-up concrete, 128
vapor retarders for, 175
weather barriers for, 174–175
wind forces on, 170–171
- External long-range motion detectors, 640
- Extra hazard fires, 456
- Extra heavy duty doors, 300
- Extruded polystyrene, in foundations, 53
- Extruded procured silicone strips, 162

F

- “Fabbers,” 942
- Fabricated fireproofed steel columns, 76
- Fabricated floors, 615
- Fabricated rooms, 622
- Fabricated stone panels, 152
- Fabrication:
digital, 942
free-form, 941
of metal, 779–780
solid free-form, 942
- Fabric structures, 606–608
applications of, 607
design of, 606–607
environmental considerations of, 607, 608
materials for, 606
- Faced precompressed foam, 163
- Faceted stained glass, 189
- Facilities management:
MasterFormat™ for, 1010
UniFormat™ for, 1008
- Facility storm drains, 415–416
- Facing material (woodwork), 825–826
- Factory-formed metal panels, 157

- Fail safe, 659
- Fail secure, 659
- Fair Housing Accessibility Guidelines (FHAG), 896, 925
 - on bathroom fixtures, 920
 - on door clearances, 911
- Fair Housing Act (FHA), 873, 924–931
 - accessibility and, 925
 - affordable rental housing, Oakland, California (case study), 926–931
 - design requirements of, 925
 - enforcement of, 924
 - HUD and, 924–925
 - remedies for, 924
- Fair Housing Amendments Act (FHAA), 895, 896
 - on bathrooms, 919
 - design requirements by, 896
- Fall, protection from, 226
- Fan-coil air distribution, 443
- Fan coil units, 426, 447
- Fastenings:
 - for metal, 782–784
 - of preservative-treated wood, 803
 - wood, 803, 805–812
 - for wood decking, 97
- FA systems, *see* Fire alarm systems
- FDM (fused deposition modeling), 943
- Federal standards for accessibility, 896–897
- Fencing, pedestrian, 634–635
- FHA, *see* Fair Housing Act
- FHAA, *see* Fair Housing Amendments Act
- FHAG, *see* Fair Housing Accessibility Guidelines
- Fibers, carpet, 364
- Fiberboard, wood, 225
- Fibered plasters, 343
- Fiberglass bathtubs, 394
- Fiberglass-reinforced plastic (FRP):
 - domed structures, 603
 - mobile buildings, 597–598
- Fiberglass wall coverings, 350
- Fiber-optic sensors, 651
- Fibrous concrete reinforcing, 742
- Field-assembled panels, 157, 158
- Field density tests for compaction, 45
- Field devices (term), 656
- Filament winding, 944
- File systems, 582–583
- Filiigree slabs, 93
- Fill, backfill and, 45
- Fillers, for vinyl flooring, 362
- Fillet welds, 782–784
- Filtration:
 - of air, 185
 - for aquariums, 643
 - for elevated swimming pools, 641
 - HEPA, 613, 655
 - for in-ground swimming pools, 642
 - for pools, 640
 - for rain water harvesting systems, 417–418
 - ultralow penetration air filters, 613
 - windows and, 185
- Final design-level study, 5
- Fine grout, 754
- Finishes and finishing:
 - as-fabricated, 780
 - bright finish process, 780
 - cast-in-place concrete, 36, 748–751
 - for conference rooms, 570
 - directional textured, 780
 - etched, 780
 - for fire-retardant treatment, 804
 - flatness of, 36
 - for flooring, 351–366
 - for glass fiber-reinforced concrete, 133
 - glass reinforced gypsum, 280–281
 - interior, 800–801
 - for interiors, 343–370
 - for lamina, 161
 - mechanical, 780
 - for medical equipment, 521
 - for metals, 780–781
 - patterned, 780
 - peened, 780
 - for plaster walls, 343–345
 - for precast concrete, 130
 - of preservative-treated wood, 803
 - for rainscreen panels, 143–144
 - for solariums, 596
 - for stairs, 342
 - for stone, 774
 - stone facing, 346–349
 - for walls, 343–351
 - wood, 803
 - wood of, 800–801
- FIP (formed-in-place sealant), 162
- Fire alarm (FA) systems, 481–482, 656, 912
- Fire barriers, 304
- Fireboxes, 319
- Fire curtains, 515
- Fire door(s), 306
- Fire-door assembly, 285
- Fire exit hardware, 285
- Fire extinguishers, 460–461
- Fire-extinguishing systems, 456
- Fireplace(s):
 - clean-burning, 325
 - manufactured, 328–329
 - masonry, 313–315
 - masonry heaters, 313, 326–327
 - Rumford, 325–326
- Fireplace inserts, 330
- Fireproofing:
 - active, 68
 - applied, 285
 - board, 68
 - of cable-supported structures, 605
 - of floors, 68
 - passive, 68
 - steel joist floor framing for, 78
- Fire protection, 456–461
 - chemical systems for, 457
 - codes and standards for, 456
 - demolition and, 664
 - design considerations for, 456–457
 - dry-chemical fire-extinguishing systems, 457
 - fire extinguishers, 460–461
 - foam extinguishing systems, 461
 - gas-based systems for, 457
 - inert gasses system for, 457
 - sprinklers, 457–458
 - standpipes, 458–460
 - system types of, 456–457
 - water-based fire-suppression systems, 456–457
 - wet-chemical fire-extinguishing systems, 457
- Fire-rated openings, 303–306
 - automatic, 304
 - definitions for, 304
 - fire protection criteria for, 304
 - frames for, 305
 - for means of egress, 304
 - swinging, 306
 - types of, 304–305
- Fire-resistance:
 - applied fireproofing, 285
 - of ceiling suspension systems, 368
 - design for, 285
 - of doors and openings, 304
 - of floors, 68
 - of linear metal ceilings, 371
 - of metal flues, 323
 - of partitions, 285
 - penetration firestopping, 285
 - for roof decking, 115
 - of vaults, 625
 - wood, 804–805
- Fire-responsiveness, 307
- Fire-retardant particleboard core, 825
- Fire-retardant coatings, 350
- Fire-retardant treatment (FRT), 804–805
- Firestopping:
 - applications for, 68
 - for floor loads, 68
 - for floors, 68
 - penetration, 285
- Fire-suppression hoses, racks, and cabinets, 458–460
- Firm service, 419
- Fitness equipment, 540–541
- Fixed beams, 1039–1040
- Fixed casework, 546–552
 - bench assembly, 550
 - countertops, 553
 - laboratory casework, 550
 - shop-fabricated cabinets, 546
- Fixed floor grilles, 555–556
- Fixed floor mats, 555, 556

- Fixed furnishings, 546–560
 - casework, 546–552
 - grilles and mats, 555–556
 - multiple seating, 556–560
 - window treatments, 553–555
- Fixed grandstands, 600
- Fixed multiple seating, 556–560
 - for audience, 556
 - in lecture halls, 556
 - in restaurants and bars, 557–558
- Fixtures traps, 412
 - fl (foot-lambers), 474
- Flamed (thermal) finishes, 359
- Flanges, 416
- Flanged joints, 403
- Flared joints, 403
- Flare welds, 783
- Flashing rings, 416
- Flashings, 225, 250–258
 - counterflashing assemblies, 256–258
 - embedded, 758
 - flat roof drainage, 252–256
 - flexible membrane, 175
 - gutters and downspouts, 250–251
 - in masonry construction, 758
 - steep slope roofing, 224
 - through-wall, 144, 175
 - tile roofing with, 230
- Flat-cable wiring system, 474
- Flat conductor cables, 469
- Flatness. finish and floor, 36
- Flat-panel displays, 518
- Flat-plate collectors, 452
- Flat roof drainage, 252–256
- Flat tiles, 229
- Fleuri (with-the-bed) cut, 346
- Flexible membrane flashing, 175
- Float glass, 187
- Floating fountains, 690, 691
- Floor-anchored compartments, 306
- Floor-and-ceiling-anchored compartments, 307
- Floor construction, 68–99
 - crawlspace insulation and ventilation, 98–99
 - decks and slabs, 92–98
 - steel joist floor framing for, 78
- Floor drains, 413
- Floor flatness, 36
- Floor framings, 68–91
 - concrete, 68, 73–75
 - steel, 76–79
 - wood, 80–91
- Flooring, 351–366
 - carpet, 364–366
 - for cold storage, 615
 - cork, 362
 - fabricated, 615
 - finishes for, 351–366
 - foundation, 962
 - glass, 98
 - linoleum, 362
 - resilient, 362–363
 - rubber, 362
 - in saunas, 624
 - sheet vinyl, 362
 - stone, 359–361
 - terrazzo floor finishes, 355
 - tile, 351–355
 - vinyl, 362
 - wood, 356–359
- Floorless cold storage, 615
- Floor loads:
 - affecting superstructure, 67–68
 - applied fireproofing for, 68
 - codes and standards for, 67
 - concentrated loads, 67
 - fireproofing of, 68
 - fire-resistance of, 68
 - firestopping for, 68
 - impact loads, 68
 - at intersection of curtain wall and floor, 68
 - live load, 67
 - partial loading and, 67
- Floor mats, fixed, *see* Fixed floor mats
- Floor wiring systems, for workstations, 471–474
 - cellular desk systems, 472
 - flat-cable wiring system, 474
 - poke-through system, 471
 - raised access floor system, 473
- Flows in nature, 836–842
 - air flows, 840–841
 - concept of, 836
 - measure of, 871
 - physics of, 836
 - scale of, 836
 - solar flows, 836–838
 - time, 842
 - water flows, 838–839
- Flow meters, for fountains, 690
- Flues, *See* Chimney(s)
 - b-vent, 329
 - clay-tile masonry flues, 322
 - covered flues, 321
 - direct-vent, 329
 - metal flues, 323, 324
 - modern fire-resistance-rated metal flues, 323
 - open-top flues, 321
 - open-top metal flues, 324
 - twin-flue design, 319
- Fluid-applied membranes, 174
- Fluid-applied roofing, 238
- Fluid-applied waterproofing, 52
- Fluidized-bed dipping, 780
- Fluorescent lamps, 451–452, 478–480
 - compact, 479
 - thermal control with, 451–452
- Fluorocarbon- (Teflon-) coated glass fiber fabric, 606
- Flush bolts, 285, 290
- Flush floor boxes, 469
- Flushing:
 - blowout, 391
 - mechanisms for, 391–392
- Flush overlay construction, of cabinetry, 547–549
- Flush valves, 392
- Flutes, classical, 1025
- Flywheel cooling, 865
- Foam:
 - faced precompressed, 163
 - polystyrene, 750
 - precompressed, 162
- Foam extinguishing systems, 461
- Focus groups, 969
- Folded-plate tensile, 607
- Food preparation equipment, 529
- Food service equipment, *see* Commercial food service equipment
- Footcandles, 367
- Footing(s):
 - concrete, 736
 - underpinning of, 32
- Foot-lambers (fl), 474
- Forced-air units, 448
- Forestry, sustainable, 843
- Forest Stewardship Council (FSC), 843
- Forging, 779
- Formed-in-place sealant (FIP), 162
- Formed sheet metal panels, 158
- Formed sheet metal (corrugated) roofing, 246–247
- Forming:
 - explosive, 939
 - stretch, 939
 - vacuum, 940
- Form reuse, 736
- Forsyth, Ann, 960
- Foundation(s), 18–39, 962
 - case-in-place concrete slab, 34–39
 - climatic foundation issues, 8–11
 - deep, 24–28
 - details, 30
 - helical anchors, 29
 - for masonry fireplaces, 317
 - mat, 28
 - minipiles, 29
 - raft, 28
 - reinforcing, 33–34
 - requirements of, 962
 - seismic design, 12–17, 30–31
 - settlement and differential settlement, 18–19
 - shallow, 20–24
 - special, 24
 - standard types, 19–20
 - stone spandrel at, 152–155
 - surcharged, 28
 - underpinning, 31–33
- Foundation air barrier system, 962
- Foundation building, 962–964

- Foundation floor system, 962
 - Foundation insulation layer, 962
 - Foundation wall system, 962
 - Fountains, 689–691
 - anemometers for, 690
 - animation of, 690
 - communication of, 691
 - floating, 690, 691
 - flow meters for, 690
 - interactive, 690
 - lighting for, 690
 - nozzles of, 690, 691
 - packaged equipment for, 689–690
 - pipng for, 690
 - sustainability of, 691
 - water quality of, 690
 - 497GW Renovation Project (New York, New York), 268–270
 - Framed skylights, 262, 263
 - Frameless skylights, 264
 - Framing:
 - for fire-rated openings, 305
 - for openings, 168–170
 - skylights, 263
 - windows, 197–198
 - wood, 137
 - Frampton, Kenneth, 63
 - F-ratings, 285
 - Free-form fabrication, 941, 942
 - Freestanding fireplaces, 330
 - Freestanding garden walls, 697–701
 - Freestanding systems, 560
 - Freeze protection, 454
 - Freezers, in residential kitchens, 537–538
 - Freezing, ground, 44
 - Freezing degree day index, 10
 - Freight elevators, 377, 381–382
 - French drains, 39
 - Fresh air inlets, 413
 - Friable ACM, 665
 - Friday (main, central) mosques, 510
 - Friezes, 1020
 - Frit (decorative silk-screened) glass, 189
 - Front-susceptible soil, 9
 - “Frost action,” 10
 - Frost heave, 9
 - FRP, *see* Fiberglass-reinforced plastic
 - FRT (fire-retardent treatment), 804
 - Fryers cook, 529
 - FSC (Forest Stewardship Council), 843
 - FT (tempered) glass, 187
 - Full-left draperies, 554
 - Full-right draperies, 554
 - Full-spectrum radiation, 855
 - Fully adhered assemblies, 237
 - Fume hoods, in laboratories, 520
 - Furan mortars, 353
 - Furan resin grout, 353
 - Furnaces:
 - condensing, 431–432
 - warm air, 448–449
 - Furnishings, 499, 546–584
 - in classrooms, 577
 - fixed, 546–560
 - movable, 560–584
 - for schools, 575–581
 - Furring, 343
 - Fused deposition modeling (FDM), 943
 - Fuses, 463
 - Fusion welding, 779
- G**
- Gables, rigid-frame, 607
 - Gaboury Prefontaine Perry Architects (GPP), 728
 - Galvanizing, 803
 - Garden walls, freestanding, 697–701
 - Gas-based systems, for fire protection, 456, 457
 - Gas burning fireplaces, 329
 - Gas-discharge lamps, 477
 - Gas-fired equipment, 430–431
 - Gas welding, 779
 - Gate valves, 404
 - Gauges:
 - strain, 650–651
 - temperature, 690
 - Geared traction elevators, 377
 - General acute care, 521
 - General Services Administration (GSA), 652, 1017
 - Geocells, plastic, 678
 - Geologic hazards, in soil studies, 5
 - Geotechnical investigations, RFP for, 5
 - GFRC, *see* Glass fiber-reinforced concrete
 - Girts, 591
 - Gland-type joint covers, 163
 - Glare, 855
 - Glare control:
 - landscaping for, 704
 - with lighting, 476
 - skylights, 263
 - Glass, 187–189
 - bent, 188
 - CAD/CAM and, 941
 - chemically treated, 187
 - coated, 188
 - coloring of, 189
 - for daylighting, 856
 - decorative silk-screened, 189
 - faceted stained, 189
 - glazing sealants for, 189
 - heat-absorbing, 187, 188
 - heat-treated, 187
 - industry-quality standards for, 187
 - insulating, 188
 - laminated, 188
 - leaded stained, 189
 - obscure, 187
 - for outside protection, 189
 - patterned, 187
 - photovoltaic, 188
 - plate, 187
 - security, 188
 - sheet, 187
 - size limitations on, 189
 - sound control, 188
 - spandrel, 188, 206
 - strengthened, 187
 - tempered, 187
 - tinted, 187, 188
 - types of, 187
 - wire, 187
 - Glass doors, 300–301
 - Glass entrance doors, 213, 214–215
 - Glass fiber-reinforced concrete (GFRC), 133–134, 749
 - design for, 133
 - finish for, 133
 - HAM and, 133–134
 - mix for, 133
 - panels for, 133
 - Glass-fiber-reinforced plaster domes, 603
 - Glass fins, 301
 - Glass flooring, 98
 - Glass-laminated roofing, 113–114
 - Glass masonry units, 142–143
 - Glass (GL) piping, 401
 - Glass reinforced gypsum (GRG), 280–281
 - Glass-sheathed greenhouses, 595
 - Glass stops, for interior doors, 290
 - Glass unit masonry:
 - block types for, 769–770
 - installation of, 770–771
 - mortar, 769
 - unit masonry, 769–772
 - Glaze and glazing:
 - dry, 206
 - of interior doors, 290
 - skylights, 263
 - for solariums, 596
 - of tiles, 351
 - windows, 189–196
 - Glazed curtain wall, *see* Curtain walls
 - Glazed structures, 594–597
 - greenhouses, 594–595
 - solariums, 596
 - swimming pool enclosures, 596–597
 - Glazing materials, 189–196
 - condensation and, 191
 - energy performance of, 193
 - for glass, 189
 - in manufactured window units, 194
 - performance of, 194–196
 - sealants, 189
 - solar gain, 191–193
 - thermal resistance, 191
 - Global positioning system (GPS), 650
 - Globe valves, 404
 - GL (glass) piping, 401

Glued-laminated timber, 603
 Glued-laminated wood domes, 603
 Glue-down, 365
 Glue-laminated construction, 91
 Glycol-cooled, 445
 Goldberg, Louise, 962
 GPP (Gaboury Prefontaine Perry Architects), 728
 GPS (global positioning system), 650
 Grab bars:
 accessibility of, 925
 in bathrooms, residential, 919
 Grade beams, 22
 Grandstands, 600–601
 Grandstands, fixed, 600
 Granite, 749, 772
 Graphic standards, 1020
 Graphic symbols, 1014–1015
 for identity, 1014
 for lines, 1014
 for materials, 1014
 for objects, 1015
 for references, 1015
 for text, 1015
 Graphisoft ArchiCAD, 950
 Grass paving, 687
 Grates, 416, 714–715
 Gratings, 791–793
 Gravel, 4, 749
 Gravel stops, 176–177
 Gravity flush tanks, 392
 “Gravity mounting,” 455
 Gray irons, 778
 Graywater, 838
 Grease interceptors (grease traps), 413–414
 Greater Toronto Airports Authority (GTAA), 491
 Green Building Council, *see* U.S. Green Building Council
 Greenfield development, 842–843
 Greenhouses, 594–595
 evaporated cooling in, 595
 exhaust fans in, 595
 glass-sheathed, 595
 heating systems for, 595
 insulation of, 595
 plastic-sheathed, 595
 ventilation systems for, 595
 Green plans, 868
 Grey, Carole, 958
 GRG (glass reinforced gypsum), 280–281
 Griddles (grills), in commercial food service, 529
 Grilles, 220–221, 444
 Grills (griddles), in commercial food service, 529
 Groat, Linda, 959
 Grondzik, Walter, 961
 Groove welds, 782–783
 complete-penetration, 784
 partial-penetration, 784
 symbols for, 784
 Gross floor area, 1037

Ground (drilled tieback) anchors, 43
 Ground cover plantings, 703–710
 Ground freezing, 44
 “Ground grid,” 490
 Ground-monitored air-supported structures, 590–591
 Ground motion data recording, 651
 Ground-source heat pumps, 850
 Group showers, 310
 Grout and grouting, 353, 754
 chemical, 33
 coarse, 754
 compaction, 34
 furan resin grout, 353
 jet, 33
 mortar and, *see* Mortar and grout
 pressure, 44
 for reinforcing foundations, 33, 34
 silicone rubber grout, 162
 soil stabilization and, 44
 of stone facing finishing, 348
 structural chemical, 33
 tile flooring, 353–354
 for waterproofing, 53
 GSA, *see* General Services Administration
 GTAA (Greater Toronto Airports Authority), 491
 Guardrails:
 in general, 181–182
 in interior construction, 282
 Guerin, Denise, 961
 Guide rails, 383
 Gun hangers, 626
 Guttae, 1020
 Gutters, 250–251
 Gymnastics equipment, 542–543
 Gypsum board assemblies, 276–281
 Gypsum board partitions:
 glass reinforced gypsum, 280–281
 metal-frame, 278
 plaster and, 343
 shaft walls and, 279–280
 wood-frame, 276–277
 Gypsum lath, 343
 Gypsum sheathing, 225

H

Hair interceptors, 414
 Halogen incandescent lamps, 478
 HAM, *see* Heat, air, and moisture
 Hammers (rams), 27
 Handing, of interior doors, 287
 Handles, door, 291
 Handrails:
 for pedestrian walks, 688
 for stairs, 342
 Hand-tooling, 774
 Hangers, piping, 406
 Hanging garment conveyors, 503
 Hannover Principles, 832, 843
 Hardboard, for doors, 296
 Hardboard core, 825
 Hardcoat anodizing, 781
 Harder, Kathleen, 969
 Hard soldering, *see* Brazing
 Hardwood Plywood and Veneer Association (HPVA), 826
 Harmony, in classical architecture, 1021
 Hayes, Richard L., 960
 Hazardous materials, 663–666, 859
 HBOT (hyperbaric oxygen therapy) chambers, 616
 HDD, *see* Heating degree days
 HDO (high-density overlay), 814
 Head (door frame), 285
 Head-end controllers, 658–659
 Headquarters mosques, 510
 Headwalls, for medical equipment, 521
 Hearing testing (audiology) spaces, 523
 Hearth (masonry fireplaces), 316, 317
 Heat:
 convection, 330
 distribution of, 864
 of lighting, 476
 radiant, 330
 from stoves, 330
 Heat, air, and moisture (HAM), 65
 affecting shell of buildings, 65
 clay masonry, 137, 138
 concrete masonry units, 135
 control of, 65–66
 in EIFS, 161
 exterior walls and, 158
 field-assembled panels and, 158
 glass fiber-reinforced concrete and, 133–134
 metal cladding panels, 160–164
 panelized wall cladding, 156
 precast concrete, 130
 rainscreen panels, 144
 stone spandrel at foundation, 153
 tilt-up concrete, 129
 Heat-absorbing glass, 187, 188
 Heaters:
 booster, 409
 built-in, 330
 for elevated swimming pools, 641
 for in-ground swimming pools, 642
 masonry, 313, 326–327
 for pools, 640
 solid-fuel, 330
 Heat-fused joints, 403
 Heat generation, 427–433
 chimneys, 428
 condensing furnaces, 431–432
 gas-fired equipment, 430–431
 heating boilers, 427–428
 radiant heating systems, 432–433
 vent stacks, 428–429

- Heating, ventilating, and air-conditioning (HVAC), 419–456
- all-air systems, 421–423
 - all-water systems, 423
 - automation of, 653–655
 - central systems, 420–421
 - collector arrays, 455–456
 - commissioning, 420, 858
 - components of, 421
 - computer room air-conditioning, 444–445
 - controls commissioning and, 452
 - controls for, 449
 - demolition of, 663
 - design considerations for, 419, 858
 - design issues with, 419–420
 - direct-expansion, 423
 - direct-expansion systems, 423
 - distribution systems, 438–444
 - district system, 420
 - electric heating systems, 447–448
 - energy management systems, 450–451
 - fan coil units, 426, 447
 - heat generation, 427–433
 - in kennels, 649
 - lighting control systems, 451–452
 - moisture control, 597
 - multiple interior-zone systems, 423–427
 - packaged split system, 424
 - refrigeration, 434–438
 - solar energy systems, 452
 - solar energy utilization systems, 453–455
 - solar thermal collectors, 452–453
 - for swimming pool enclosures, 597
 - system selection, 420
 - terminal and packaged units, 444–449
 - terminal heat transfer units, 446–447
 - types of, 420–421
 - warm air furnaces, 448–449
 - water loop heat pumps, 425–426
 - zonal air-handling units, 423, 426
 - zoning for, 420
- Heating boilers, 427–428
- Heating degree days (HDD), 837, 838, 990
- Heating systems:
- air solar, 454
 - electric, 447–448
 - for greenhouses, 595
 - with solar energy, 453–454
- Heating units, infrared, 448
- Heat recovery ventilators, 850, 861
- Heat rejection methods, 444–445
- Heat-strengthened (kind HS) glass, 187
- Heat transfer, 434–434
- Heat transfer units, 446–447
- Heat-treated glass, 187
- Heat-welded seams, 362
- Heavy duty doors, 300
- Heavy-process service, 419
- Heavy timber floor framings, 86–87
- Heavy vehicular paving bricks, 684
- Helen Betty Osborne Ininew Resource Centre, 728
- Helical anchors, 29
- HEPA filters, *see* High-efficiency particulate air filters
- Hidden classical architecture elements, 1030–1031
- HID (high-intensity discharge) lamps, 480
- High-alloy iron, 778
- High-density overlay (HDO), 814
- High-efficiency particulate air (HEPA) filters:
- in clean rooms, 613
 - for EMCS, 655
- High-intensity discharge (HID) lamps, 480
- High-pressure sodium (HPS) lamps, 481
- High-rise bleachers, 600
- High school classrooms, 577
- High-seismic loads, 16–17
- High-strength low-alloy (HSLA) steels, 778
- High-wind areas, 230
- Hilderman Thomas Frank Cram (HTFC), 728
- Hinges:
- elements of, 293
 - height of, 293
 - of interior doors, 292–294
 - pins of, 293
 - pivot hardware and, 294
 - for shop-fabricated cabinets, 549
 - types of, 293
- Historical issues, in soil studies, 5
- HMMA, *see* Hollow Metal Door Manufacturers Association
- Hoistway, 376
- Hoistways, 376, 383
- HOLDERS, door, 294–295
- Hollerith cards, 483
- Hollerith technology, 660
- Hollow-core doors, 287
- Hollow Metal Door Manufacturers Association (HMMA), 213, 214
- Hollow metal doors, 213, 298–300
- construction of, 299
 - frame finishes for, 300
- Hollow metal fire doors, 306
- Hollow metal (pressed steel) frames, 305
- Homogeneous rubber tile, 362
- Honed finishes, 359
- Hook-and-pin mounting, 158
- Horizontal waterproofing, 240–247
- Hoses, for fire-suppression, 458–460
- Hose bibbs, 397
- Hospitality furniture, 562–564
- Hospitals, 854
- Hot climates:
- arid climates, 11
 - shell affected by, 66
- Hot dipping, 781
- Hot dry season, 11
- Hotel accessories, for toilet and bath, 308
- Hotel buildings, 854
- Hot fluid-applied roofing, 238
- Hot humid season, 11
- Hot-rolled steels, 798
- Hot water circulation systems, 400
- Hot water heaters, 409, *See* Domestic water heaters
- Hot water systems, 400
- Hot-wire cutting, 938–939
- HPS (high-pressure sodium) lamps, 481
- HP steel shape, 786
- HPVA (Hardwood Plywood and Veneer Association), 826
- HS (heat-strengthened) glass, 187
- HSLA (high-strength low-alloy) steels, 778
- HTFC (Hilderman Thomas Frank Cram), 728
- HUD, *see* Department of Housing and Urban Development
- Human eyes, 475
- Humanism, in classical architecture, 1021–1022
- Humid, overheated climates, 11
- Humidity control, 655
- Hunderman, Harry, 969
- HVAC, *see* Heating, ventilating, and air-conditioning
- HVAC zone, 655
- Hydrant(s), 397
- Hydrant flow test, 400
- Hydrated lime mortar and grout, 753
- Hydraulic elevators, 376, 377, 379–382
- Hydraulic sprinklers, 457
- Hydroforming, 939
- Hydropneumatic tank system, 407
- Hydrotherapy baths, 644
- Hyperbaric oxygen therapy (HBOT) chambers, 616
- Hyperbaric rooms, 616–617
- Hyperbolic paraboloid, 607
- Hypothesis, 958
- Hysterisis, 772
- I**
- IAI (International Alliance for Interoperability), 955
- IAQ (indoor air quality), 656, 857–859
- IBC, *see* International Building Code
- ICC, *see* International Code Council
- Ice dams, 224
- Ice hockey, 543–544
- Ice lens (taber ice), 9
- Ice rinks, 646–648
- Ice storage systems, 863
- Ice wedges, 9
- ICF (insulating concrete forming), 143
- ICS (integrated collector-storage), 453–454
- ICU (intensive care unit), 521
- IDA (International Dark-Sky Association), 722
- ID controlled, 402
- Identity symbols, 1014
- IDS, *see* Intrusion detection systems
- IESNA (Illuminating Engineering Society of North America), 475, 723
- IFC building model, 955–956
- IG, *see* Insulating glass
- IGU (insulated glass unit), 984

- lumen method for calculating, 477
 - measurement of, 367
 - task method for calculating, 477
- Illuminating Engineering Society of North America (IESNA), 475, 723
- Imaging rooms, 523
- Imam, 510
- IMC (International Mechanical Code), 313
- Imitation slates, 231
- Impact assessment, 851
- Impact evaluation, 851
- Impact loads, 68
- INAC (Indian and Northern Affairs Canada), 728
- Incandescent lamps, 478
- Inclined wheelchair lifts, 909–910
- Inclinometers (tiltmeters), 651
- Inclusive design, 873–931
 - accessible design, 895–924
 - Fair Housing Act, 924–931
 - universal design, 874–893
 - vistability, 893–895
- Indian and Northern Affairs Canada (INAC), 728
- Indirect ambient lighting, 475
- Individual showers, 310
- Indoor air quality (IAQ), 656, 857–859
- Induced draft, 431
- Induction air distribution, 444
- Industrial facilities, 854
- Industrial-grade particleboard core, 824
- Industrial Perforators Association (IPA), 794
- Inert gasses system, 457
- Infill panels, 596
- Information technology (IT):
 - CAD/CAM and, 947
 - demolition of, 663, 664
- Infrared cards, 483
- Infrared detectors, passive, 482
- Infrared heating units, 448
- Infrared radiation, 658
- Infrared technology, 660
- In-ground swimming pools, 641–642
- Injection molding, 940
- Ink-jet printing (CAD/CAM), 943
- Inlets, 720–721
- In-plane forces, 13
- Insects, 802
- Instantaneous-type water heaters, 409
- Institute of Classical Architecture, 1020
- Institutional equipment, 508–524
 - audio-visual, 516–520
 - detention, 520
 - ecclesiastical, 508–511
 - instrumental, 516
 - laboratory, 520–521
 - library, 511–512
 - medical, 521–524
 - theater and stage, 512–516
- Instrumental equipment, 516
- Insulated glass unit (IGU), 984
- Insulated metal panel wall assemblies, 157–158
 - factory-formed metal panels, 157
 - field-assembled panels, 157, 158
 - metal cladding panels, 158–164
- Insulated recessed concrete slab, 615
- Insulated (inverted) roof membrane assembly (IRMA), 238
- Insulated rooms, 618
- Insulating concrete, 225
- Insulating concrete forming (ICF), 143
- Insulating glass (IG), 188, 969
- Insulation, 64
 - in basement walls, 53
 - board, 122
 - of crawlspaces, 98–99
 - EIFS, 161
 - for energy conservation, 860
 - of greenhouses, 595
 - of low slope roofing, 225
 - for piping, 409–410
 - for rooftop planters, 710
 - sheet waterproofing, 240
 - sprayed, 122
 - thermal, 53, 860
 - thermal system insulation, 665
- Insulation layer, foundation, 962
- Insurance coverage, 226
- Integrated collector-storage (ICS), 453–454
- Integrated design, 835
- Integrated services digital network (ISDN), 519
- Intensive care, equipment for, 521
- Intensive care unit (ICU), 521
- Interactive fountains, 690
- Intercolumnation, 1021, 1026
- Intercoms, 657
- Interdependence, 843
- Interior(s), 276–374
 - Bullivant Houser Bailey Law Firm, San Francisco, California (case study), 371–374
 - construction of, 276–333
 - finishes for, 343–370
 - stairs, 333–343
- Interior balustrades, 282
- Interior construction, 276–333
 - doors, 285–306
 - fireplaces, 313–329
 - locker rooms and showers fittings, 309–311
 - partitions, 276–285
 - stoves, 330–333
 - toilet and bath fittings, 306–309
 - wall and corner guards, 312–313
- Interior detection systems, 482
- Interior doors, 285–303
 - built-up members, 290
 - coiling fire doors, 302–303
 - components of, 286
 - cores of, 287–288
 - design considerations for, 287–290
 - fire-rated openings, 303–306
 - glass, 300–301
 - glass stops for, 290
 - glazing, 290
 - handing of, 287
 - hardware for, 290–296
 - hinges of, 292–294
 - hollow metal, 298–300
 - latches and locks for, 291, 294–295
 - muntings for, 290
 - nomenclature for, 286
 - overhead coiling doors, 302
 - panels for, 289
 - parts of, 286
 - rails for, 289
 - sizes of, 289
 - steel, 298, 299
 - stiles for, 289
 - terminology for, 285
 - types of, 296–302
 - wooden, 296–297
 - wood stops for, 286
- Interior finishing, 343–370
 - for ceilings, 367–370
 - for floors, 351–366
 - for walls, 343–351
 - wood of, 800–801
- Interior glazed partitions, 283–284
- Interior offices, 567
- Interior railings, 282
- Interior routes, 901
- Interior screens, 282
- Interior trim (woodwork), 822–824
- Interior-zone systems, 423–427
- Interlinings (draperies), 553
- Interlocking flat lock seam times, 158
- Intermodal transportation, at TPIA, 494
- Internal dormers, 184
- International Alliance for Interoperability (IAI), 955
- International Building Code (IBC):
 - on fireplaces, 313
 - for seismic design, 12
- International Code Council (ICC), 896
 - on fireplaces, 313
 - on kitchens, 921
- International Commission on Illumination (CIE), 475
- International Dark-Sky Association (IDA), 722
- International Mechanical Code (IMC), 313
- International Residential Code (IRC), 313
- International Standards Organization (ISO), 613
- International Union of Architects (UIA), 843
- Internet Protocol (IP), 486
- Intrusion detection systems (IDS), 658, 660
- Intumescent coatings, 68

Intumescent painting, 350
 Inventory analysis, 851
 Inverted (insulated) roof membrane assembly (IRMA), 238
 Investment casting, 940
 Iodine, 418
 IP (Internet Protocol), 486
 IPA (Industrial Perforators Association), 794
 IR, *see under* Infrared
 IRC (International Residential Code), 313
 IRMA (inverted/insulated roof membrane assembly), 238
 Iron, wrought, 778
 Irradiation, solar, 1000–1002
 Irrigation, 702–703
 ISDN (integrated services digital network), 519
 Islamic centers, 510
 ISO, *see* International Standards Organization
 Isolated (sound-conditioned) rooms, 612–613
 Isolation hangers, 369
 Isolation joints:
 for slab-on-grade, 35
 in tile installation, 354
 IT, *see* Information technology
 Iteration (sustainable design), 833

J

Jackets, piping, 410
 Jamb, 285
 Jami masjid, 510
 Janitor closets, 526
 Jay Monahan Center for Gastrointestinal Health (New York, New York), 5–6
 methodology of, 5
 technical systems of, 6
 Jeffrey, C. Ray, 1018
 Jet grouting, 33
 “Jiggle” glazed systems, *see* “Wiggle” glazed systems
 Job-site safety, 663
 Johnson, Philip, 1020
 Joining wood, 801
 Joints:
 brazed, 403
 cold, 354
 concrete, 736
 construction, 354
 contraction, 35, 354
 control, 35, 354
 design of, 162
 in EIFS, 161
 expansion, 354
 flanged, 403
 isolation, 35, 354
 mortar and grout and, 755
 movement, 354
 piping, 403–404
 primers for, 162
 shape of, 162

 in slab-on-grades, 35–36
 soldered, 403
 split-coupling, 403
 for stone facing finishing, 348
 threaded, 403
 Joint sealants, 162
 Judo, equipment for, 544
 Junior high school classrooms, 576

K

Kaaba, 510
 Karate, equipment for, 544
 Kempinski Hotel (Munich, Germany), 605
 Kennels and animal shelters, 648–650
 design considerations, 649–650
 HVAC in, 649
 primary enclosure, 648
 secondary enclosure, 648
 Kieren Timberlake Associates (KTA), 950, 983
 Kimmel Center for the Performing Arts (Philadelphia, Pennsylvania), 934–935
 custom software at, 939
 fabrication at, 944–945
 glass-lifting equipment at, 941
 modeling software at, 936, 937
 Kindergarten classrooms, 575
 Kind FT (tempered) glass, 187
 Kind HS (heat-strengthened) glass, 187
 King, Karen J., 882
 Kiosks, 505
 Kitchens, 534–538, 895–924
 accessibility of, 921, 925
 activity centers for, 535
 appliance requirements of, 921
 cooktops, 536–537
 corridor layout for, 535
 design considerations for, 534–535
 dishwashers in, 923
 fixtures requirements for, 921
 freezers, 537–538
 layouts for, 535
 L-shaped, 535
 ovens, 536–537
 ranges, 536–537
 refrigerators, 537–538
 sinks in, 923
 storage in, 923
 unit kitchens, 537
 unit layout for, 537
 U-shaped, 535, 922–923, 925
 vent hoods, 536–537
 work triangle of, 536
 Kitt Peak National Observatory (Tucson, Arizona), 601
 Knitted carpet, 364
 KTA, *see* Kieren Timberlake Associates

L

Labeled equipment, 285
 Laboratories, 854
 Laboratory casework, 550
 Laboratory equipment, 520–521
 fume hoods, 520
 refrigerators, 521
 Ladders:
 for elevated swimming pools, 641
 metal, 337–338
 Lamina, 161
 Laminates, decorative, 825
 Laminated countertops, solid-wood, 551
 Laminated glass, 188
 Laminated object manufacturing (LOM), 942
 Laminated rubber tile, 362
 Lamination, 781
 Lamp(s), 474, 477–481
 color stability of, 476
 components of, 477–478
 design considerations for, 477
 disposal of, 478
 fluorescent, 451–452, 478–480
 halogen incandescent, 478
 high-intensity discharge, 480
 high-pressure sodium, 481
 incandescent, 478
 induction, 481
 label designations for, 478
 life of, 476, 477
 light-emitting diode, 481
 low-pressure sodium, 481
 mercury content of, 478
 mercury vapor, 480
 metal halide, 480–481
 replacement schedule for, 476
 thermal control with, 451–452
 types of, 478
 Lamp lumen degradation (LLD), 476, 477
 Landscaping, 702–710
 for glare control, 704
 irrigation system for, 702–703
 movable furnishings, 583–584
 rooftop plantings, 710
 trees, plants, and ground covers, 703–710
 Land use, 870
 Lasers, 938
 Latches, 291, 294–295, *See* Lock(s)
 Lateral line piping, 702
 Latex paint, 350
 Latex Portland cement mortars, 352
 Latex sealants, 162
 Laundry chutes, 390
 Laundry rooms, 538–539
 Lavatories, *see* Toilet(s)
 Lawns, 839
 Law of reflection, 1035

- Law of refraction, 1035
- Lazed partitions, interior, 283–284
- LCD displays, 518
- Lead (metal), 779, 859
- Leaded stained glass, 189
- Leadership in Energy and Environmental Design (LEED), 868, 869
- Lead/lead-based paint, 666
- Lead-lined cores, 288
- Lead X-ray shielding, 628–630
- Leaf screens, 416
- Learning spaces, 577
- LEC (local equipment controller), 450
- Lecture halls, seating in, 556
- LED, *see* Light-emitting diode
- LEED, *see* Leadership in Energy and Environmental Design
- Lester B. Pearson International Airport (TPIA) (Toronto, Ontario), 491–494
 - automated people mover system of, 493
 - baggage handling equipment, 493, 494
 - conveyance in, 493
 - flexible development, 491, 492
 - intermodal transportation to, 494
 - methodology of, 491–492
 - service systems, 494
 - technical systems, 493–494
 - terminal 1, 492
- Levine Hall, 984
- Liability issues, 1018
- Libraries, 854
- Library equipment, 511–512
 - automated book storage and retrieval systems, 511
 - book depositories, 511
 - book theft protection, 511
- Library furniture:
 - carrels, 565
 - movable, 564–565
 - shelving, 564–565
- Lifespan design, 889
- Light, *see* Lighting
- Light-emitting diode (LED), 481, 660
- Light-gauge metal frames, 305
- Light hazard fires, 456
- Lighting, 474–481, 654, 656
 - ambient, 475
 - beam pattern, 475
 - borrowed, 184
 - in classrooms, 577
 - for conference rooms, 570
 - contrast control, 476
 - daylight and, 475
 - design for, 475–477
 - dimming, 475
 - direct, 475
 - energy economics of, 475
 - energy-efficient, 860
 - for fountains, 690
 - glare control, 476
 - heat of, 476
 - indirect, 475
 - interfaces for, 476
 - in kennels, 649
 - lamps, 477–481
 - luminaires, 481
 - measure of, 870
 - natural, 577
 - path, 723
 - in saunas, 622
 - of site, 722–723
 - speed of, 1035
 - task, 475, 860
 - terminology for, 474–475
 - as thermal cooling load, 476
 - uniform background lighting, 477
- Lighting control systems, 451–452
 - continuous dimming, 451
 - daylighting, 452
 - energy savings with, 451
 - fluorescent lamps, 451–452
 - thermal control, 451–452
 - Venetian blinds, 452
- Lighting power allowance (LPA), 475
- Lighting power density (LPD), 475
- Light loss factor (LLF), 476, 477
- Light monitors, 856
- Lightning protection, 489–490
- Light-process service, 419
- Light reflectance (LR), of acoustical panel ceilings, 367
- Light shelves, 856, 860
- Light switches, 925
- Light-traffic, 684
- Light trespass, 476
- Lightweight mobile modular buildings, 599
- Lime, 343
- Limestone, 749, 772
- Limitations of settlement, 18
- Limited-use/limited-application (LULA) elevators, 908
- Limit switches, 626
- Linear distance, 1034
- Linear metal ceilings, 370–371
 - accessories for, 371
 - acoustic properties of, 371
 - fire resistance of, 371
 - materials for, 370
 - recycled content of, 371
 - sizes of, 370
 - suspension systems for, 371
 - types of, 370
- Linear speed, 1034
- Linen chutes, 390
- Lines symbols, 1014
- Linings (draperies), 553
- Linoleum flooring, 362
- Lintels, 317, 760
- Lippage, of stone facing finishing, 348
- Liquefied petroleum gas (LPG), 418
- Liquid systems, 454
- Listed equipment, 285
- Live loads, 67
- LLD, *see* Lamp lumen degradation
- LLF, *see* Light loss factor
- Loading docks, 524–525
- Load paths, 15
- Loam, 4
- Lobbies:
 - for elevators, 376, 906
 - of mosque, 510
 - security of, 1017
- Lobby side, of doors, 287
- Loblolly house (Taylors Island, Maryland), 950–954
 - boxes, 954
 - cartridges, 953
 - exterior skin, 954
 - framing, 952
 - scaffolding, 951
- Local equipment controller (LEC), 450
- Local HVAC system, 420
- Local Law 26, 1018
- Lock(s), *See* Latches
 - cylinder of, 290
 - deadbolts of, 290
 - for interior doors, 291, 294–295
 - parts of, 290
- Lockers, 310–311
- Locker rooms, 309
 - basket racks and, 312
 - benches in, 311–312
 - lockers in, 310–311
 - showers in, 310
- Locksets, 287, 290
- Lofts, academic, 984
- Log structures, 608–611
 - design considerations for, 608–610
 - roofing for, 611
 - settling of, 611
- LOM (laminated object manufacturing), 942
- Long-range motion detectors, 640
- Long-span roofing, 104
- LonMark open system, 450
- Loose-laid ballasted assemblies, 237
- Lossless data, 658
- Lossy data, 658
- Lost pattern casting, 940
- Lounge furniture, movable, 565–566
- Louvres, 481
- Low-emissivity (low-e) coatings, 553
- Lowering of water table, 19
- Low-pressure sodium (LPS) lamps, 481
- Low-rise bleachers, 600
- Low slope roofing, 224–226
 - characteristics of, 224
 - considerations for, 224
 - cool roofs, 226
 - drainage with, 225–226
 - fall protection with, 226

fire-rated assemblies for, 226
 flashing, 225
 insulation of, 225
 insurance coverage for, 226
 roof decking, 225
 system design for, 225–226
 tiling, 230
 warranties for, 226
 water vapor control with, 225
 weather barrier, 226
 wind speed, 226

Low-voltage motor control center, 462
 LPA (lighting power allowance), 475
 LPD (lighting power density), 475
 LPG (liquefied petroleum gas), 418
 LPS (low-pressure sodium) lamps, 481
 LR (light reflectance), of acoustical panel ceilings, 367
 L-shaped kitchens, 535
 L steel shape, 786
 LULA (limited-use/limited-application) elevators, 908
 Lumber, 800–801
 Lumber forms, concrete, 737
 Lumen maintenance, 477
 Lumen method, 477
 Luminaires, 474, 481, 860
 Luminance, 474
 Luminous flux, 474
 Luminous intensity, 474
 Lux, 367
 LVDT (linear variable differential transformer) gauge, 651

M

McDonough, William, 843, 844
 Macel, Otaker, 969
 Machine rooms, 376
 Machinery impact loads, 68
 Machining, 779
 Machining centers, 938
 Magnesium, 779
 Magnetic combination starters, 462
 Magnetic motor starters, 462
 Magnetic slug cards, 483
 Magnetic stripe technology, 659–660
 Mainframe cooling systems, 444
 Main line, 702
 Main (Friday, central) mosques, 510
 Maintenance equipment, 526
 Majekodunmi, Olufemi, 843
 Malins, Julian, 958
 Malleable irons, 778
 Maloya Laser, Inc., 936, 937
 Mandrel, 944
 Manganese, in steel, 778
 Manholes, 720–721
 Mannerism, 1020
 Manometer, visible, 626
 Manual single-phase starters, 462

Manufactured fireplaces, 328–329
 gas burning, 329
 wood-burning, 328–329
 Manufactured playgrounds, 692
 Manufactured stoves, 330
 Manufactured window units, 194
 Maple Flooring Manufacturers Association (MFMA), 358
 Marble, 749, 772–773
 Marble blocksbook-match patterns, 346
 Marble patterns, 346
 Marine-grade plywood, 814
 Marmol Radziner and Associates, 272
 Marsh systems, shallow, 717
 Martin, Caren, 961
 Masjid, 510
 Masking curtains, 515
 Masonry, 752–776
 accessories for, 758–759
 anchorage and, 755–758
 arches, 767
 ashlar, 774
 cavity drainage, 758
 for corrosion protection, 755
 flashing in, 758
 installation, 758
 lintels, 760
 mortar and grout, 753–755
 movement joints, 759–761
 patterns, 774–776
 reinforcing, 755–758
 stone assemblies, 772–776
 unit, 761–771
 vents, 758
 weepholes, 758
 wood blocking, 759
 Masonry basement walls, 46
 Masonry cap, covered, 324
 Masonry cement, 753–754
 Masonry fireplaces, 313–315
 chimney and termination designs, 321–325
 chimney breasts, 317, 318
 clearances for, 318
 combustion air and, 317
 dimensions for, 316
 foundations for, 317
 hearth of, 316, 317
 lintels, 317
 modern construction of, 315
 modern design of, 315
 multi-faceted, 319–320
 open-suspended, 321
 performance criteria for, 315
 projected, 320
 single-face construction of, 315
 sitting of, 317
 smoke chambers, 317, 318
 throats, 317
 traditional construction of, 315
 traditional design of, 315

Masonry heaters (masonry stoves), 313, 326–327
 Masonry stoves, see Masonry heaters
 Masonry ties, 756–758
 Massa, Alison, 974
 Massachusetts Institute of Technology (MIT), 933
 MasterFormat™ (CSI/CSC), 1006, 1009–1010
 application overview, 1009
 with construction market data, 1010
 for contract documents, 1009
 for cost data applications, 1010
 for data file naming, 1009
 for discipline and trade jurisdictions, 1009
 for drawings organization, 1010
 for facility management, 1010
 history of, 1009
 for project manuals, 1009–1010
 structure of, 1009
 Match plate casting, 940
 Material(s), 843–851
 analysis of, 845–848
 checklist for, 846
 comparison chart for, 847–848
 design for disassembly, 844–845
 embodied energy of, 845–846
 environmental construction of, 845
 environmental impact, 845–851
 life cycle of, 845–851
 nontoxic, 849–851
 resource conservation of, 849–851
 Material processing and handling equipment, 386–389
 Material removal, 938–939
 Materials symbols, 1014
 Material use reduction, 867–868
 Mat foundation, 28
 Mathematical data, 1032–1037
 angular speed, 1035
 area calculations, 1036
 constants, 1035
 decimal equivalents, 1032
 degrees, 1034
 law of reflection, 1035
 law of refraction, 1035
 linear distance, 1034
 linear speed, 1034
 metric units, for construction, 1032–1034
 net assignable area, 1037
 with powers, 1034
 Pythagorean theorem, 1034
 radians, 1034
 scientific notation, 1034
 speed, 1034–1035
 speed of light, 1035
 thermal expansion, 1035
 total internal reflection, 1035
 trigonometry functions, 1034
 volume calculations, 1037
 weight of materials, 1035–1036
 Maximum considered earthquake (MCE), 13
 Maximum duty doors, 300

- Maxman, Susan A., 843
- MCE (maximum considered earthquake), 13
- MDF (medium-density fiberboard) core, 825
- MDO (medium-density overlay), 296
- Mean radiant temperature (MRT), 419
- Mechanical, electrical, plumbing (MEP), 663
- Mechanical anchoring systems, 348
- Mechanical anemometers, 650
- Mechanical area, 1037
- Mechanical fasteners, 942
- Mechanical finishes, 780
- Mechanically attached assemblies, 237
- Mechanically fastened membranes, 174
- Medical equipment, 521–524
 - for audiology spaces, 523
 - for dental operatories, 523
 - dialysis modules, 522
 - for echo and echo/stress treatment rooms, 523
 - for endoscopy rooms, 523
 - environmental controls and, 524
 - for exam rooms, 522–523
 - finishes for, 521
 - for general acute care, 521
 - headwalls for, 521
 - for hearing testing spaces, 523
 - for imaging rooms, 523
 - for intensive care, 521
 - for procedural spaces, 523–524
 - for radiographic rooms, 523
 - for surgical suites, 523
 - for treatment rooms, 522–523
- Medium-density fiberboard (MDF) core, 825
- Medium-density overlay (MDO), 296
- Meetings (sustainable design), 833
- Meg-meters, 690
- Memory cards, optical, 483
- MEP (mechanical, electrical, plumbing), 663
- Mercantile equipment, 504–506
 - barber shops, 503–504
 - beauty shops, 503–504
 - for checkout, 504–505
 - kiosks, 505
 - pet grooming, 504
 - retail, 504–506
 - self-service checkout equipment, 505
 - shopping carts, 506
 - spas, 503–504
- Mercury vapor (MV) lamps, 478, 480
- Metal(s), 777–798
 - carbon steel, 797
 - chemical finishes for, 780
 - coatings for, 780–781
 - coils, 797
 - corrosion of, 799
 - decorative, 793–798
 - detailing, 793–794
 - fabrication of, 779–780
 - fastenings for, 782–784
 - finishes on, 780–781
 - gratings, 791–793
 - mechanical finishes for, 780
 - nonferrous, 778–779
 - perforated, 794–796
 - plates, 797
 - properties of, 778
 - shaping of, 779–780
 - sheet, 796
 - steel sheets, 797
 - structural framing with, 785–789
 - tubing and pipes, 790–793
 - welding, 782–784
- Metal building systems, 591–594
- Metal-clad cables, 469
- Metal cladding panels, 158–164
 - HAM and, 160–164
 - types of, 158
- Metal-clad fire doors, 306
- Metal detectors, 500
- Metal doors, hollow, 213
- Metal floor decking, 93–94
- Metal flues:
 - modern fire-resistance-rated, 323
 - open-top, 324
- Metal-framed joint covers, 163
- Metal-frame gypsum board partitions, 278
- Metal halide (MH) lamps, 480–481
- Metal interceptors, 414
- Metal ladders, 337–338
- Metallic plating, 781
- Metal louvers, 177–179
 - blades of, 178–179
 - characteristics of, 177
- Metal roof decking, 115
- Metal roofing, 243–247
 - batten seam, 244–245
 - Bermuda roof, 243–244
 - corrugated roofing, 246–247
 - standing seam, 243
- Metal roofing tiles, 233
- Metal stairs, 336–338
- MFMA (Maple Flooring Manufacturers Association), 358
- MH (metal halide) lamps, 480–481
- Microphones, 519
- Microwave motion detectors, 482
- Middle school classrooms, 576
- Mihrab, 510
- Milling, 933, 938
- Mimbar, 510
- Mineral-fiber cement roofing, 232
- Mineral-fiber-reinforced cementitious siding, 148
- Minimum outside air damper, 421
- Minipiles, 29
- Minor demolition, 662–674
- MIT (Massachusetts Institute of Technology), 933
- Mitgang, Lee, 960
- Mixed-use development, 851
- Mobile buildings, 597–599
 - fiberglass-reinforced plastic mobile buildings, 597–598
 - lightweight mobile modular buildings, 599
 - steel portable buildings, 598–599
- Mobility, community, 852
- Moderate Weathering (MW) bricks, 763
- Modern fireplaces, 313
- Modern fire-resistance-rated metal flues, 323
- Modified bituminous membrane roofing, 236–237
- Modified downdraft spray booth, 625
- Modified epoxy emulsion mortars, 353
- Modified Proctor, 45
- Moisture:
 - density relationship with, 45
 - heat and air and, *see* Heat, air, and moisture
 - movement of, 801–802
 - in wood, 801–802
- Moisture control, 859
 - for compaction, 45
 - for swimming pool enclosures, 597
- Moisture-density relationship, 45
- Molded (case) tiles, 368
- Moldings:
 - bladder, 944
 - blow, 940
 - CAD/CAM and, 939
 - classical, 1022–1024
 - injection, 940
- Molybdenum, in steel, 778
- Moment-resisting framing, 76
- Monoculture, 842
- Monographic ordering, 969
- Monolithic porous paving, 713
- Monolithic terrazzo floors, 355
- Morphological analysis, 969
- Morrow Reardon Wilkinson Miller (MRWM), 724
- Mortar and grout, 352–353, 753–755
 - admixtures, 754
 - aggregate, 754
 - ASTM specifications for, 753
 - color, 754
 - glass unit masonry, 769
 - hydrated lime, 753
 - joints and, 755
 - masonry cement, 753–754
 - Portland cement, 753
 - water, 754
- Mortar beds, 348
- Mortise, 290
- Mortise lock (mortise latch), 290
- Mosaic tiles, ceramic, 351
- Moshe Safdie and Associates, 492
- Mosques, 510–511
 - in contemporary west, 510
 - equipment in, 510–511
 - Motion detectors, 640
 - external, 640
 - long-range, 640
 - microwave, 482
- Motors, pool, 640
- Motor starters, 462

- Mounted tiles, 351
- Mounting:
- hook-and-pin, 158
 - of toilet and bath compartments, 306
 - of window treatments, 554–555
- Movable furnishings, 560–584
- beds, 562
 - convertible furniture, 562
 - file systems, 582–583
 - hospitality furniture, 562–564
 - landscaping, 583–584
 - in libraries, 564–565
 - multiple seating, 565–575
 - school furniture, 575–581
 - shelving, 581–583
 - systems furniture, 560–561
- Movable multiple seating, 565–575
- in conference rooms, 570–573
 - lounge furniture, 565–566
 - office furniture, 567–570
 - for outdoor areas, 574
 - in restaurants, 574–575
- Movement joints, 759–761
- Movement joints, for tile flooring, 354
- Moving walks, 385–386, 660–661
- MRT (mean radiant temperature), 419
- MRWM (Morrow Reardon Wilkinson Miller), 724
- M steel shape, 786
- Mud slabs, 52
- Mullions, 184
- Multicolor coatings, 350
- Multi-faceted fireplaces, 313, 319–320
- fireboxes, 319
 - obstacles to, 319
 - smoke chambers of, 320
 - twin-flue design of, 319
- Multifamily residential buildings, 854
- Multilevel switching, 450–451
- Multiplace chamber pressure vessel, 616–617
- Multiple chemical sensitivity, 857
- Multiple interior-zone systems, 423–427
- Multiple seating:
- fixed, 556–560
 - movable, 565–575
- Multiple space detectors, 482
- Multizone air distribution, 442
- Muntins, 184, 289, 290
- MV (mercury vapor) lamps, 480
- MW (Moderate Weathering) bricks, 763
- N**
- Nail(s), 807–808
- Nailers, 230
- Nailing, 801
- Naomi Berrie Diabetes Center (New York, New York), 7–8
- NAPA Airport Development Consultants, 491
- National Association of Architectural Metal Manufacturers, 791
- National CAD Standards (NCS), 1011–1013
- National Earthquake Hazards Reduction Program (NEHRP), 12
- National Electrical Manufacturer Association (NEMA), 475
- National Electric Code (NEC):
- on building ground grid, 490
 - on emergency backup systems, 488
 - on undercarpet power cables, 561
- National Emissions Standards for Hazardous Air Pollutants (NESHAP), 665
- National Fenestration Rating Council (NFRC), 193
- National Fire Protection Association (NFPA), 896, 912
- on door construction, 294
 - on fire protection, 456
 - on hyperbaric rooms, 617
- National Fuel Gas Codes, 329
- National Institute of Building Sciences (NIBS), 53, 859
- National Institute of Health (NIH), 614
- National Institute of Justice (NIJ), 500
- National Institute of Standards and Technology (NIST), 1019
- National Oceanic and Atmospheric Administration (NOAA), 841
- National Ornamental and Miscellaneous Metal Association (NOMMA), 793
- National Roofing Contractors Association (NRCA), 53–54
- National Sanitation Foundation (NSF), 401, 527, 528
- Natural clay tiles, 351
- Natural convection units, 447–448
- Natural cooling, 861
- Natural gas (NG), 418
- Natural gas systems, 419
- Natural lighting, in classrooms, 577
- Natural ventilation, 840, 841
- Natural wetland systems, 716
- NC (numerically controlled) milling machine, 933
- NCS (U.S. National CAD Standards), 1011–1013
- Neat plaster, 343
- NEC, *see* National Electric Code
- Needle beams, 32
- Needlepunched carpet, 364
- Negligible Weathering (NW) bricks, 763
- NEHRP (National Earthquake Hazards Reduction Program), 12
- Neighborhood mosques, 510
- NEMA (National Electrical Manufacturer Association), 475
- Nemetschek Allplan, 950
- NESHAP (EPA National Emissions Standards for Hazardous Air Pollutants), 665
- Nesting software (CAD/CAM), 936
- Net assignable area, 1037
- Neuroscience Institute, 875
- New Beijing Poly Plaza, Beijing, China, 605
- New York City Building Codes, 1018
- NFPA, *see* National Fire Protection Association
- NFRC (National Fenestration Rating Council), 193
- NG (natural gas), 418
- NIBS (National Institute of Building Sciences), 53, 859
- Nickel (metal), 778, 779
- NIH (National Institute of Health), 614
- NIJ (National Institute of Justice), 500
- NIST (U.S. National Institute of Standards and Technology), 1019
- NM (nonmetallic sheathed, Romex) cables, 469
- NOAA (National Oceanic and Atmospheric Administration), 841
- Nodular tiles, 368
- Noise:
- in kennels, 649
 - of plumbing, 391
- Noise Reduction Coefficient (NRC), 367
- NOMMA (National Ornamental and Miscellaneous Metal Association), 793
- Nonbonded cores, 287
- Noncatalytic appliances, 330
- Nonferrous metal, 778–779
- Nonheated-treatable alloys, 797
- Nonmetallic sheathed (NM, Romex) cables, 469
- Nonportland-cement-based grout, 353
- Nonresidential buildings, 854, 859–861
- Nontoxic materials, 849–851
- Northern First Nation School (Manitoba), 728–731
- Norway House Cree Nation, 728
- Nosings, for stairs, 333–334
- Nozzles, fountain, 690, 691
- NRC (Noise Reduction Coefficient), 367
- NRCA (National Roofing Contractors Association), 53–54
- NSF, *see* National Sanitation Foundation
- Nuclear radiation shielding, 633–634
- Numerically controlled (NC) milling machine, 933
- N-values (blow counts, standard penetration test values), 7
- NW (Negligible Weathering) bricks, 763
- Nylon fibers, in carpet flooring, 364
- O**
- Oak Ridge National Library, 174
- Objective data, 969
- Objects symbols, 1015
- Obscure glass, 187
- Observatories, 601–602
- Observatory domes, 601–602
- Observatory dome structures, 601–602
- OCCS, *see* OmniClass Construction Classification System™
- OCCS (OmniClass Construction Classification System™), 1006–1007
- Occupancy sensors, 450
- Occupational Health and Safety Administration (OSHA):
- on demolition, 662, 663
 - on lead, 666
 - on stairs design, 333
- Occupied buildings, 859
- Octagonal boxes, 469
- OD controlled, 402
- Odum, Howard, 852
- Off-grid (stand-alone) systems, 455
- Office buildings, 854
- Office furniture:
- in corner office, 568–569
 - dimensions for, 570
 - in interior offices, 567, 568
 - movable, 567–570
 - in perimeter offices, 567, 568

- Office shelters, 618–619
 - Off-line UPS, 487
 - Oil-based paint, 350
 - Oil-borne preservatives, 802–803
 - Oil interceptors, 414
 - OmniClass Construction Classification System™ (OCCS), 1006–1007
 - application overview of, 1007
 - history of, 1006–1007
 - numbering systems in, 1007
 - structure of, 1007
 - One Liberty Plaza Office (New York, New York), 671–674
 - On-ground pools, 640
 - On-line UPS, 487
 - Open carburetors, 315
 - Open-celled grids, 678
 - Open-cut excavations, 40
 - Openings:
 - exterior, 168–170
 - framing for, 168–170
 - in roofing, 262–267
 - Open-jointed blocks, 678
 - Open joint systems, 158
 - Open plan units, in schools, 580
 - Open-suspended fireplaces, 321
 - Open-top flues, 321
 - Open-top metal flues, 324
 - Operable partitions, 627
 - Operating rooms (ORs), 523
 - Optical memory cards, 483
 - Optimum moisture content, 45
 - Ordering, 969
 - Ordinary hazard fires, 456
 - Organic coatings, 780
 - Oriel windows, 184
 - Oriented-strand board (OSB), 145, 820
 - Orr, David, 832, 835
 - ORs (operating rooms), 523
 - OSB, *see* Oriented-strand board
 - OSHA, *see* Occupational Health and Safety Administration
 - Outdoor areas, seating for, 574
 - Outlets, 467
 - Out-of-plane forces, 13
 - Ovens:
 - in commercial food service, 530
 - in residential kitchens, 536–537
 - Overconsolidated soils, 5
 - Overhangs, 1040–1041
 - Overhead-braced compartments, 306
 - Overhead coiling doors, 302
 - Overheated climates, 11
 - Overlap carriers, 554
 - Overlays, 825
 - Overturning, 17
 - Oxidation sensors, 690
 - Oxine copper, 803
 - Oxyacetylene blowtorches, 779
 - Oxy-fuel cutting, 938
 - Oxygen supply systems, 617
 - Ozone, 418
- P**
- Packaged split system, 424
 - PACM (presumed asbestos-containing material), 665
 - Paddle (ceiling) fans, 989
 - Paint, *see* specific types, e.g.: Alkyd paint
 - Paint booths, 625–626
 - Painting, 349–351, *See* specific types, e.g.: Intumescent painting
 - Panel(s), 560
 - in acoustical panel ceilings, 368
 - for concrete forming, 736
 - core types of, 824–825
 - engineered wood panels, 143
 - fire-retardant particleboard core, 825
 - for glass fiber-reinforced concrete, 133
 - hardboard core, 825
 - industrial-grade particleboard core, 824
 - for interior doors, 289
 - medium-density fiberboard core, 825
 - moisture-resistant MDF core, 825
 - moisture-resistant particleboard core, 824
 - performance-rated panels, 814
 - for plywood sheathing, 814–816
 - sanded, 813, 814
 - solid phenolic resin panels, 143
 - special-use, 368
 - for stone facing finishing, 346
 - for toilet and bath, 306
 - touch-sanded, 813
 - translucent fiberglass, 596
 - unsanded, 813
 - veneer plywood core, 825
 - wood, 821–822
 - wood veneers and, 826–828
 - woodwork, 824–825
 - Panelboards, electrical, 462
 - Panel ceilings, acoustical, *see* Acoustical panel ceilings
 - Panel end match, 826
 - Panelized wall cladding, 155–156
 - assembly components of, 155
 - HAM and, 156
 - Panel-supported systems, furniture for, 560
 - Panic bars, *see* Electrified exit devices
 - Panic hardware, *see* Electrified exit devices
 - Paper backing, 350
 - Parametric modeling, 936
 - Parapet expansion joints, 259–261
 - Parapets, 175–176, 206
 - Parking:
 - courts, 680
 - for visitors, 925
 - Parking garage guardrails, 68
 - Parking lots, 680–682
 - accessibility of, 682, 902–904
 - design considerations for, 680–681
 - for mosques, 510
 - passenger loading zones in, 682
 - signage in, 682
 - van-accessible stalls, 682
 - Partial loading, 67
 - Partial penetration welds, 782–784
 - Particleboard core, moisture-resistant, 824
 - Partitions, 276–285
 - construction of, 276–285
 - fire-resistant design of, 285
 - gypsum board assemblies, 276–281
 - interior balustrades, 282
 - interior glazed partitions, 283–284
 - interior railings, 282
 - interior screens, 282
 - wall brackets, 283
 - Partnership for Advancing Technology in Housing (PATH), 54
 - Passage latches, 291
 - Passenger elevators, 377
 - Passenger loading zones, 682
 - Passive fireproofing, 68
 - Passive infrared detectors, 482
 - Passive soil pressure, 51
 - Passive solar cooling, 864–865
 - Passive solar heating, 861, 864–866
 - PA (public address) system, 657
 - Patching, cast-in-place concrete, 750
 - PATH (Partnership for Advancing Technology in Housing), 54
 - Path lighting, 723
 - Path-of-travel, 896
 - Patterned finishes, 780
 - Patterned glass, 187
 - Pavements, porous, 677–679, 713–714
 - Paver tiles, 351
 - Paving:
 - decking and, 679
 - “soft,” 678–679
 - PCBs (polychlorinated biphenyls), 666
 - PCU (power conditioning unit), 455
 - PDA (pile dynamic analyzer), 28
 - Peal-and-stick membranes, *see* Self-adhered membranes
 - Peck, Ralph B., 8
 - Pedestrian fencing, 634–635
 - Pedestrian-oriented development, 851
 - Pedestrian traffic, 684
 - Pedestrian walks, 682–688
 - design considerations for, 682–684
 - exterior stairs, 687–688
 - grass paving, 687
 - handrails and, 688
 - ramps, 688
 - unit paving, 684–686
 - Pediments, classical, 1028
 - Peened finishes, 780
 - Pellet appliances, 330–331
 - Pellet stoves, 331
 - Penetration firestopping, 285

- Penta-treated wood, 802–803
- PE rainscreen walls, *see* Pressure-equalized rainscreen walls
- Pereletok, 9
- Perforated metal, 794–796
- Performance-rated panels, 814
- Performance request for proposals, 5
- Performance theaters, 512
- Perimeter daylight, 856
- Perimeter offices, 567
- Perimeter projection, 620, 621
- Perimeter sensor systems, 482
- Perimeter walls, in high-seismic load design, 17
- Perlite, 225, 343
- Permaculture, 852
- Permafrost, 8, 9
- Permafrost climates, 9
- Permanent dewatering, 39
- Permits, special-use, 851
- Personal protection equipment (PPE), 665
- Pet grooming, 504
- Pews, 508
- PHC (preheat coil), 422
- Phenolic resin panels, 143
- Phosphor bulb coatings, 477
- Photocell placement, 450
- Photovoltaic collectors, 836
- Photovoltaic (PV) glass, 188
- Photovoltaic (PV) systems, 455
- Physical modeling, 856
- Piercing (metals), 779
- Pigments, for vinyl flooring, 362
- Pilasters:
 - classical, 1025
 - unit masonry, 765–766
- Pile caps, 26
- Pile dynamic analyzer (PDA), 28
- Pins, of hinges, 293
- Piping, 401–407
 - brass, 401
 - carbon steel, 401
 - cast-iron, 401
 - copper tube, 401
 - fittings for, 402
 - for fountains, 690
 - glass, 401
 - hangers, 406
 - insulation for, 409–410
 - jackets for, 410
 - joints, 403–404
 - materials for, 401–402
 - metal, 790–793
 - plastic, 401, 402
 - pressure-boosting systems, 406–407
 - sleeves, 405–406
 - supports, 406
 - thermoplastic, 401
 - thermoset, 401
 - valves, 404–405
- Pirkel, James J., 889
- Pittsburgh Children’s Museum, 882
- Pivot hardware, 294
- Plain concrete slab, 37
- Planetariums, 619–621
 - center projection in, 620, 621
 - design considerations for, 621
 - fabricated dome for, 619–620
 - perimeter projection in, 620, 621
 - projectors in, 620
- Planned unit developments, 851
- Plantings, 703–710
 - preservation of, 849
 - rooftop, 710
 - shrub, 705
 - soils for, 705
- Plasma cutting, 938
- Plaster, 343
- Plaster domes, glass-fiber-reinforced, 603
- Plaster walls, 343–345
- Plastic geocells, 678
- Plasticizers, for vinyl flooring, 362
- Plastic laminate veneers, 296
- Plastic (PL) piping, 401, 402
- Plastics, 749–750
- Plastic-sheathed greenhouses, 595
- Plastisol method, 350
- Plates, 158, 467, 797
- Plate glass, 187
- Platform (western) wood floor framings, 81–84
- Plating, metallic, 781
- Playgrounds, 692
- PLM (polarized light microscopy), 665
- PL (plastic) piping, 401, 402
- Plug valves, 404
- Plug welds, 784
- Plumbing, 391–418
 - in bathrooms, residential, 919
 - codes and standards for, 391
 - demolition of, 664
 - design considerations for, 391
 - domestic water distribution, 399–400
 - fixture units, 391
 - fuel distribution facilities, 418–419
 - interfaces for, 391
 - natural gas systems, 419
 - noise of, 391
 - portable water distribution system, 400–401
 - rain water drainage, 415–418
 - sanitary waste systems, 410–415
 - vibrations in, 391
- Plumbing fixtures:
 - bathrooms, 394
 - bidets, 391–392
 - domestic water heaters, 408–409
 - drinking fountains, 395–396
 - electric water coolers, 395–396
 - hose bibbs, 397
 - lavatories, 392–394
 - mounting heights, 397
 - piping, 401–407
 - showers, 395
 - sinks, 392–394
 - supports for, 398
 - toilets, 391–392
 - urinals, 391–392
 - wall hydrants, 397
 - water closets, 391–392
 - water coolers, 395–396
- Plyform, 749
- Plywood, 813, 814
- Plywood (veneer) core, 825
- Plywood sheathing, 813–820
 - bond classifications, 813
 - grade designations, 813
 - group number for, 813
 - panel types for, 814–816
 - for roofs, 819
 - sanded panels, 813
 - for soffits, 819–820
 - span ratings, 813
 - subflooring with, 818–819
 - touch-sanded panels, 813
 - unsanded panels, 813
 - for walls and roofs, 817–818
- Plywood siding, 148
- Pocket billiards, equipment for, 540–541
- Pocket doors, 882
- Pocket wetlands, 717
- POE (post-occupancy evaluations), 966–969
- Point-of-sale (POS) terminals:
 - for commercial retail, 504
 - in libraries, 511
- Poke-through system, 471
- Polarized light microscopy (PLM), 665
- Polished finishes, for stone, 359
- Pollutants, 857
- Pollution, solar flows and, 836
- Polyamide epoxies, 350
- Polychlorinated biphenyls (PCBs), 666
- Polyester epoxies, 350
- Polyester fibers, in carpet flooring, 364
- Polyisocyanurate foam, 225
- Polypropylene fibers, in carpet flooring, 364
- Polystyrene foam, 225, 750
- Polysulfide, 162
- Polyurethane, 162
- Polyvinyl-chloride (PVC):
 - flooring, 362
 - roofing, 237
- Pond systems, 716, 717
- Pools, 640–645
 - above-ground, 640
 - decorative, 689–691
 - elevated, 640–641
 - heaters for, 640

- Pools, continued
- in-ground, 641–642
 - on-ground, 640
 - specialized-use, 645
 - swimming, 640–642
 - for therapy, 643–645
- “Popcorn” ceilings, 665
- Population analysis, 382
- Porcelain tiles, 351
- Porous aggregate, 678
- Porous asphalt, 678
- Porous concrete, 678
- Porous pavements, 677–679, 713–714
- design considerations for, 714
 - materials for, 713
 - sizing channels for, 713, 714
- Porous paving, monolithic, 713
- Porous turf, 678
- Portable and mobile buildings:
- FRP mobile buildings, 597–598
 - lightweight mobile modular buildings, 599
 - steel portable buildings, 598–599
- Portable bleachers, 600
- Portable buildings, 597–599
- Portable stage equipment, 515
- Portable water distribution system, 400–401
- Porter House (New York, New York), 935–937
- Portland cement, 343, 753
- Portland-cement-based grout, 353
- Portland cement mortars, 352
- POS terminals, *see* Point-of-sale terminals
- Postframed edge, of countertops, 551
- Post-occupancy evaluations (POE), 966–969
- Post-tensioned concrete, 73, 74
- Post-tensioned slab-on-grades, 37, 38
- Post-Tensioning Institute (PTI), 38
- Potable water distribution system:
- design considerations for, 400
 - water pressure in, 401
- Powder coatings, 780
- Powdered paints, 780
- Powers (mathematical data), 1034
- Power-assisted doors, 285
- Power conditioning unit (PCU), 455
- PPE (personal protection equipment), 665
- PR (pressure rating), 402
- Prayer areas, for mosques, 510
- Prayer halls, in mosques, 510
- Preaction sprinkler systems, 458
- Precast concrete:
- basement walls, 45
 - colors of, 130
 - decks, 92, 93
 - finishes for, 130
 - framing, 74–75
 - HAM and, 130
 - retaining walls, 696–697
 - unit pavers, 713
 - walls, 45, 130–133, 696–697
- Precious metal interceptors, in sanitary waste systems, 414
- Precision, 958
- Precompressed foam, 162, 163
- Pre-engineered structures, 591–594
- Prefinished panel products, 825
- Preheat coil (PHC), 422
- Prehung doors, 285
- Preliminary studies, for soils, 5
- Premium grade doors, 296
- Preschool design, 575
- Prescriptive request for proposals, 5
- Preservatives, for wood treatment, 802
- Preservative-treated wood, 803
- fastening of, 803
 - finishing of, 803
- Preservative treatment, 97
- Press brake forming, 939
- Pressed steel (hollow metal) frames, 305
- Pressure-assisted flush tanks, 392
- Pressure-boosting systems, 406–407
- booster pumps for, 407
 - elevated water tanks, 407
 - hydropneumatic tank system, 407
 - pumps for, 406–407
- Pressure-equalized (PE) rainscreen walls, 64, 128, 185, 214
- Pressure grouting, 44
- Pressure plate glazing, 206
- Pressure rating (PR), 402
- Pressure-reducing valve (PRV), 401
- Pressure-treated wood, 802
- Pressworking, 939
- Prestressed concrete framings, 73, 74
- Presumed asbestos-containing material (PACM), 665
- Primary chilled water pumping, 436
- Primary voltage, 462
- Primers, 162, 350, 351
- Principles of Universal Design, 874
- Privacy latches, 291
- Private areas, in schools, 575
- PRM (protected membrane roofing), 238
- Procedural spaces, equipment for, 523–524
- Progressive collapse, 1017
- Project descriptions (*UniFormat™*), 1008
- Projected fireplaces, 320
- Projection equipment, 523
- Projection screens, 523
- Project manuals:
- MasterFormat™*, 1009–1010
 - SectionFormat™*, 1010
 - UniFormat™*, 1008
- Projectors, 523, 620
- Proofers (retarders), 530
- Proposal for geotechnical investigation, request for, 5
- Proscenium curtains, 515
- Protected membrane roofing (PRM), 238
- Protection board, 53, 240
- Protective coatings, 751
- Proximity cards, 483, 659
- PRV (pressure-reducing valve), 401
- PTI (Post-Tensioning Institute), 38
- Public address (PA) system, 657
- Public aquariums, 642
- Public areas, 925
- Public art, 1018
- Pulpits, 509
- Pumps:
- for elevated swimming pools, 641
 - for in-ground swimming pools, 642
 - for pools, 640
 - for pressure-boosting systems, 406–407
 - for sanitary waste systems, 414–415
- Punching, 939
- PVC, *see* Polyvinyl-chloride
- PVC-coated polyester, 606
- PVC films, 781
- PVF films, 781
- PV (photovoltaic) glass, 188
- Pyramids, rigid-frame, 607
- Pythagorean theorem, 1034
- ## Q
- Qibla, 510, 511
- Quarry tiles, 351
- Quartz, 749
- ## R
- Rabbet, 290
- Raceway decking assembly, 561
- Raceways, 468–469
- Racks, for fire-suppression, 458–460
- Rack ovens, in commercial food service, 530
- Radial folded plate, 607
- Radians, 1034
- Radiant barriers, 64, 861
- Radiant heat, from stoves, 330
- Radiant (convection) heaters, 330
- Radiant heating systems, 432–433
- Radiant panel duct systems, 444
- Radiation:
- full-spectrum, 855
 - infrared, 658
- Radio Frequency Interference, 794
- solar, 838, 989
- Radiation protection systems, 628–634
- lead X-ray shielding, 628–630
 - nuclear radiation shielding, 633–634
 - RFI shielding, 630–633
- Radiation threat detection (RTD), 638
- Radiative cooling, 865
- Radio Frequency Interference (RFI) radiation, 794
- Radio-frequency-interference (RFI) shielding, 630–633

- Radiographic rooms, 523
- Radon, 46, 859
- Rafael Vinoly Architects, 934
- Raft foundations, 28
- Rails:
 - in general, 261
 - for interior doors, 289
- Railings, interior, 282
- Rainforest Action Network, 871–872
- Rainscreen panels, 143–144
 - finishes for, 143–144
 - HAM and, 144
 - sizes of, 143
- Rainwater, 838
- Rain water drainage, 415–418
 - facility storm drains, 415–416
 - harvesting systems for, 416–418
- Rain water harvesting systems, 416–418
 - code issues for, 418
 - design for, 418
 - disinfection for, 418
 - filtering for, 417–418
 - safety issues for, 418
 - treatment for, 417
 - water quality and, 416
- Raised access floor system, 473
- Raised platforms, 508
- Ramps:
 - for accessibility, 904–906
 - for pedestrian walks, 688
- Rams (hammers), 27
- Random matching, 826
- Ranges:
 - in commercial food service, 529
 - in residential kitchens, 536–537
- Rapid-prototyping tools, 941, 942
- Rapid root taper, 707
- RCRA (Resource Conservation Recovery Act), 666
- Reactive waterproofing, 52
- Rebecca Ingram Architect, 882
- Recessed floor mats, 556
- Recompression chambers, 616
- Recording instrumentation, 650–652
 - bonded strain gauge, 650–651
 - embedded strain gauge, 651
 - fiber-optic sensors, 651
 - for global building behavior, 650
 - global positioning system, 650
 - inclinometers, 651
 - for local building behavior, 650
 - LVDT gauge, 651
 - for seismic activity, 651–652
 - string potentiometer, 651
 - wind accelerometers, 650
 - wind anemometers, 650
- Recycle buildings, 867
- Recycled concrete, 749
- Recycling:
 - demolition and, 665
 - design for, 844
 - of linear metal ceilings, 371
 - sustainable design and, 665
- Reduced-pressure zone (RPZ), 399
- Redundant UPS, 487
- Reed, Henry Hope, 1020
- Reentrant corners, 13
- Rees, William, 868
- References symbols, 1015
- Reference study, 973
- Reflectance, of window treatments, 553
- Reflection, law of, 1035
- Reflectivity, 856
- Refraction, law of, 1035
- Refrigeration, 434–438
 - compressors, 438
 - condensers, 438
 - cooling towers, 436–437
 - dry coolers, 438
 - evaporative condensers, 437–438
 - heat transfer and, 434–434
 - water chillers, 435–436
- Refrigerators:
 - in laboratories, 521
 - in residential kitchens, 537–538
- Regeneration, of ecosystems, 842–843
- Regional design, 870
- Registers, 444
- Rehabilitation, tubs and pools for, 645
- Rehabilitation Act, 895, 896
- Reheat coil (RHC), 422
- Reinforced CMU retaining walls, 696
- Reinforcement:
 - concrete, 742–746
 - of foundations, 33–34
 - of grade beams, 22
 - masonry, 755–758
 - of slab-on-grades, 35
- Relief valve discharge, 409
- Remodeling, demolition for, 662–674
- Rendell, Jane, 958
- Renewable energy, 836
- Renovations, waste management for, 844–845
- Request for proposal (RFP), 5
- Request to exit device (REX), 659
- Requirements for Residential Concrete Construction and Commentary, 19
- Research, 958
- Research aquatic facilities, 642
- Residential buildings, 854
- Residential electric wiring, 464–466
- Residential elevators, 377, 382–384
 - dimensions of, 383
 - elevator cars for, 383
 - guide rails for, 383
 - hoistway enclosures for, 383
 - load capacity of, 383
 - plans for, 384
 - power supply for, 383
- types of, 382, 384
- Residential equipment, 534–539
 - in kitchens, 534–538
 - in laundry rooms, 538–539
- Residential kitchen(s), *see* Kitchens
- Residential prehung doors, 213
- Residual thaw zone, 9
- Residual water pressure, 400
- Residuum, 4
- Resilient flooring, 358–359, 362–363
 - base for, 362–363
 - cork, 362
 - linoleum, 362
 - materials for, 362
 - rubber, 362
 - sheet vinyl, 362
 - sizes for, 362
 - vinyl flooring, 362
 - vinyl tile, 362
 - wall base for, 362
- Resin panels, 143
- Resistance insulation, 861
- Resonating frequency (RF) circuits, 483
- Resource conservation, 849–851
- Resource Conservation Recovery Act (RCRA), 666
- Restaurants, *See* Bar(s)
 - banquettes, 558, 559
 - booths, 558
 - counters, 558
 - dining and bar area of, 557–558
 - fixed multiple seating in, 557–558
 - movable multiple seating in, 574–575
 - seating in, 557–558, 574–575
 - stools, 558
 - waitstaff stations, 558
- Retail equipment, 504–506
 - kiosks, 505
 - self-service checkout equipment, 505
 - shopping carts, 506
 - traditional checkout equipment, 504
- Retaining walls, 693–701
 - cast-in-place concrete, 694–695
 - freestanding garden walls, 697–701
 - precast concrete, 696–697
 - reinforced CMU, 696
- Retarders (proofers), 530
- Retention basins, 716
- Return (of draperies), 554
- Reuse:
 - design for, 844
 - of forms, 736
- Reveal overlay construction, 548
- Reverse trap flushing, 391
- Reversible locks, 290
- Revolving doors, 215–220
 - considerations for, 215–216
 - design considerations for, 216–217
 - types of, 215–216
- REX (request to exit device), 659

- RF (resonating frequency) circuits, 483
 RFI (Radio Frequency Interference) radiation, 794
 RFI (radio-frequency-interference) shielding, 630–633
 RFP (request for proposal), 5
 RHC (reheat coil), 422
 Ribbon windows, 184
 Richardson, Barry, 969
 Rigging systems, stage, 515
 Rigid-frame barrels, 607
 Rigid-frame gables, 607
 Rigid-frame pyramids, 607
 Rigid plastics, 749
 Risers:
 in BAS, 656
 of stairs, 333–334
 Roberts, John, 983
 Robinson, Julia, 972
 Roller shades, 554
 Romano, Giulio, 1020
 Romex (NM, nonmetallic sheathed) cables, 469
 Roof construction, 99–123
 awnings and canopies, 118–121
 bracing, 110
 cold-formed steel framing, 106–107
 framing, 99–110
 glass-laminated, 113–114
 long-span, 104
 roof decking, 115–116
 roof sheathing and panels, 116–117
 shop-fabricated wood trusses, 110–111
 space frames, 105
 split-ring wood trusses, 111–113
 tensile structures, 104
 ventilation, 122–123
 Roof coverings, 227–262
 Roof decking, 115–116
 fire-resistance ratings for, 115
 installation and design of, 115
 low slope roofing, 225
 metal, 115
 steep slope roofing, 224
 timber frame, 116
 Roofing, 224–267
 batten seam, 244–245
 cable-supported, 605
 clay tiles for, 229
 collector arrays and, 456
 coverings, 227–262
 design considerations for, 224
 detailing, 248–250
 equipment supports for, 261
 flashings, 250–258
 horizontal waterproofing, 240–247
 for log structures, 611
 low slope, 224–226
 metal roofing, 243–247
 openings, 262–267
 parapet expansion joints and, 259–261
 plywood sheathing for, 817–819
 skylights, 262–267
 skylights in, 856, 866
 steep slope, 224
 of swimming pool enclosures, 596
 tile, 229
 tiles for, 232, 233
 with weather barriers, 229
 windows on, 856, 866
 Roof sheathing, 116–117
 Rooftop plantings, 710
 Roof washers, 416
 Root zone, 707
 Rose (door hardware), 290
 Rotary casting, 940
 Route accessibility, 900–902, 925
 Route and return, 158
 Routing, 938
 Row-to-row spacing (seating), 513
 RPZ (reduced-pressure zone), 399
 RTD (radiation threat detection), 638
 Rubber flooring, 362
 Rubble, 772
 Rumford fireplaces, 325–326
 as clean-burning, 325
 design of, 326
 Runners, pools for, 645
 Running matching, 826
 Runoff, stormwater, 838
 Runoff control systems, 715–720
 natural wetland systems, 716
 on-site measures, 716
 stormwater wetlands, 717–720
 Rustication, 1029
 R-value, 553
- S**
- Safes, 500
 Safe Drinking Water Act, 418
 Safety, *See* Security
 during demolition, 663
 in grandstands and bleachers, 600–601
 of playgrounds, 692
 with rain water harvesting systems, 418
 skylights, 263
 Safety, in theater and stage, 513
 SAFFP (spray-applied fireproofing), 68
 Sagging (slumping) techniques, 941
 Salat, 510
 Salat al-Juma', 510
 Salem, Osama, 833
 Salvage, 662
 Sand (soils), 4, 18
 Sand casting, 940
 Sand cushion terrazzo floors, 355
 Sanded panels, 813, 814
 Sand interceptors, 414
 Sandstone, 773–774
 San Francisco League of Conservation Voters (SFLCV), 852
 Sanitary (drainage-type) fittings, 402
 Sanitary Sewage Pumps, 414
 Sanitary waste systems, 410–415
 acid neutralizers in, 414
 fixtures trap for, 412
 floor drains for, 413
 grease interceptors in, 413–414
 hair interceptors in, 414
 oil interceptors in, 414
 precious metal interceptors in, 414
 pump systems for, 414–415
 sand interceptors in, 414
 sizing drainage for, 412
 vent piping for, 413
 waste lines for, 412
 Sash (window), 184
 Sauna(s), 622–624
 construction of, 623–624
 design of, 622–623
 flooring in, 624
 seating in, 624
 Sauna heaters, 623–624
 Saws, 938
 Sawtooth clerestories, 866
 SBS, *see* Sick building syndrome
 SC (shading coefficient), 553
 Schall residence, 879–880
 Scholarship, 960
 School(s), 854
 art room, 579
 chairs, 579
 children's furnishings in, 575
 classroom design, 577–578
 desks, 579
 early childhood classrooms, 575
 elementary classrooms, 576
 first grade classrooms, 576
 furniture for, 575–581
 high school classrooms, 577
 junior high school classrooms, 576
 kindergarten classrooms, 575–576
 learning spaces, 577
 middle school classrooms, 576
 open plan units, 580
 preschool design, 575
 private areas in, 575
 staff work area in, 575
 storage space, 579
 tables, 579
 School furniture, movable, 575–581
 Scientific notation, 1034
 SCM (supplementary cementitious materials), 747, 748
 Scoping, 895
 Scott, Geoffrey, 1022
 Scratch coat, 343

- Screens, interior, 282
- Scully, Vincent, 1020
- Scuppers, 252, 253
- SDFs (security distribution frames), 656
- SDI, *see* Steel Door Institute
- SDR (standard dimensional ratio), 401
- Sealants:
- acrylic, 162
 - butyl, 162
 - for EIFS, 162
 - for glass, 189
 - glazing, 189
 - for joints, 162
 - latex, 162
 - replacement and repair of, 162
- Sealant, Waterproofing, and Restoration Institute (SWRI), 54
- Sealers, 285, 351
- Seams, for sheet vinyl, 362
- Seasonal energy efficiency rating (SEER), 434
- Seasonal rhythms, 842
- Seating:
- bleachers, 600–601
 - in churches, 508
 - design for, 513, 600–601
 - grandstands, 600–601
 - in saunas, 624
 - in schools, 579
 - stadium, 600
- Secant-drilled shafts, 41
- Secant walls, 41
- Secondary chilled water pumping, 436
- Secondary unit substation, 462
- Secondary voltage, 462
- Sectional doors, 221–223
- SectionFormat*[™], 1010
- Security, 1016–1019
- balancing, 1016
 - codes and standards for, 1018
 - continuing education about, 1019
 - CPTED, 1018
 - glass and, 188
 - historical lessons in, 1016
 - liability issues with, 1018
 - New York City Building Code, 1018
 - openness and, 1016
 - planning for, 1016, 1019
 - with public art, 1018
 - skylights, 263
 - standard of care, 1018
 - threat assessment, 1016–1017
 - transparent, 1017
 - U.S. NIST, 1019
 - vulnerability analysis, 1016–1017
- Security distribution frames (SDFs), 656
- Security equipment, 500
- for detection, 500
 - electronic article surveillance devices, 500
 - metal detectors, 500
 - safes, 500
 - x-ray scanning equipment, 500
- Security systems, 482–483, 634–640, 656
- ballistics-resistant construction, 638–640
 - buried-cable detection assemblies, 640
 - exterior security, 634–637
 - external long-range motion detectors, 640
 - long-range motion detectors, 640
 - motion detectors, 640
 - pedestrian fencing, 634–635
 - site security barriers, 635–637
 - thermal imaging cameras, 639
 - threat identification and monitoring, 638–639
 - vehicular deterrent, 635
- SEER (seasonal energy efficiency rating), 434
- Seismic base isolation, 30–31
- Seismic design, 12–17
- with acoustical tile ceilings, 369
 - building configuration, 15–16
 - of ceiling suspension systems, 368
 - codes for, 12–13, 652
 - foundation issues of, 12–17
 - for high-seismic loads, 16–17
 - issues in, 5
 - judgment on, 12
 - recording instrumentation for, 651–652
 - for resisting seismic forces, 13
 - seismic instrumentation program for, 652
 - site design for, 14–15
- Seismic forces, 13, 170–171
- Seismic instrumentation program, 652
- Selective laser sintering (SLS), 942–943
- Self-adhered (peal-and-stick) membranes, 174, 224, 227
- Self-closing (fire-related openings), 304
- Self-edge nosing, 551
- Self-flashing skylights, 262
- Self-service checkout equipment, 505
- Self-stick adhesive installation, 365
- Sensors, 450, 482
- Sensor security systems, 482
- Sensor systems, perimeter, 482
- Serlio, Sebastiano, 1020
- Services, 375–498
- case studies, 491–498
 - conveying, 376–390
 - electrical, 462–490
 - fire protection, 456–461
 - HVAC, 419–456
 - Lester B Pearson International Airport (Toronto, Ontario), 491–494
 - plumbing, 391–418
 - University of Texas School of Nursing and Student Community Center (Houston, Texas), 495–498
- Service chase, 563
- Service equipment, *see* Teller and service equipment
- Services scope, 834–835
- Settlement, 18–19
- angular distortion, 18
 - differential, 18–19
 - foundations and, 18–19
 - soil types affecting, 18–19
 - special types of, 19
- Severe Weathering (SW) bricks, 763
- SFLCV (San Francisco League of Conservation Voters), 852
- SGN (Smart Growth Network), 852
- Shades, 554
- Shading:
- skylights, 263
 - for windows, 180
- Shading coefficient (SC), 553
- Shadowboxes, 206
- Shadow construction, 993
- Shaft walls, 279–280
- Shakes, wood, 227–229
- Shale, 749
- Shallow foundations, 20–24
- foundation walls for, 22–24
 - grade beams, 22
- Shallow marsh system, 717
- Shanks (of a handle), 290
- Shear, in high-seismic load design, 16
- Shearing, 939
- Sheathing, 813–820
- for exterior walls, 171–173
 - oriented-strand board, 820
 - plywood, 813–820
 - wood, 813–820
- Sheathing lumber, 749
- Sheet glass, 187
- Sheet metal, 796
- Sheet Metal and Air Conditioning Contractors National Association (SMACNA), 250
- Sheet metal fire doors, 306
- Sheet metal joint covers, 163
- Sheet piling, 40
- Sheet vinyl flooring, 362
- Sheet waterproofing, 52, 240–242
- drainage, 240
 - insulation, 240
 - protection board, 240
 - substrate, 240
 - termination at drains, 241
 - treatment at joints for, 241
 - working slab, 241
- Shell (building), 63–274
- case studies, 268–274
 - climate affecting, 64–66
 - design considerations for, 64–67
 - energy affecting, 64
 - exterior climate affecting, 64–65
 - exterior enclosures, 124–223
 - 497GW Renovation Project (New York, New York), 268–270
 - interior climate affecting, 65–66
 - roofing, 224–267
 - superstructure, 67–123
 - Ward Residence (Pacific Palisades, California), 271–274

- Shelters, office, 618–619
- Shelving:
 - in libraries, 564
 - movable, 581–583
- Shielding:
 - architectural, 630
 - effectiveness of, 630
- Shields, 808–809
- Shingles, wood, 227–229
- Shock absorber (valve), 405
- Shoe area, of mosque, 510
- SHoP, 936
- Shop-fabricated cabinets, 546–549
 - base, 550
 - details, 546
 - flush inset construction, 548
 - flush overlay construction, 547
 - hinges and catches for, 549
 - reveal overlay construction, 547
- Shop-fabricated wood:
 - floor framings, 85–86
 - trusses, 110–111
- Shopping carts, 506
- Shored excavations, 40–42
 - in basements, 40–42
 - cofferdams, 41
 - secant walls, 41
 - sheet piles, 40
 - slurry diaphragm foundation walls, 41
 - timber shoring, 40
 - trenching, 42
- Shoring, for demolition, 662–664
- Showers, 310, 395
 - in bathrooms, residential, 920
 - dressing rooms and, 310
 - drying room, 310
 - group, 310
 - individual, 310
 - in locker rooms, 310
 - standards for, 920–921
- Shrinkage, 37
- Shrinkage-compensating concrete slab, 37
- Shrub plantings, 705
- Sick building syndrome (SBS), 850, 857
- Side-slip patterns, 346
- Sidewalls, 596
- Siding, 148–150
 - mineral-fiber-reinforced cementitious, 148
 - plywood, 148
 - specialty, 814
 - wood fiber, 148
- Signage:
 - accessibility of, 682
 - directional, 902
 - in parking lots, 682
- Signaling systems, 481
- Sijdah, 510
- Silicon, in steel, 778
- Silicone rubber grout, 162, 353
- Sills, 285
- Silt, 4
- Simple beams, 1038–1039
- Simplicity, 880–882
- Single-acting interior doors, 287
- Single-face fireplaces, 313
- Single membrane, 590
- Single-patient underwater treadmills, 645
- Single-phase starters, manual, 462
- Single system jet grouting, 33
- Single-zone air distribution, 442
- Sinks, 392–394
 - built-in, 393–394
 - in hyperbaric rooms, 617
 - in kitchens, residential, 923
 - well-hung, 392–393
- Siphon jet flushing, 391
- Sisal fibers, in carpet flooring, 364
- Site arrival points, 901
- Site cooling, 865
- Site research, 974–980
- Site security barriers, 635–637
- Stework, 675–731
 - civil/mechanical utilities, 711–722
 - electrical utilities, 722–723
 - improvements on, 677–710
 - Northern First Nation School, Manitoba, Canada (case study), 728–731
 - preparation for, 676–677
 - West Side Skate Park, Albuquerque, New Mexico (case study), 724–727
- Sitting height, 551
- Skidmore Owings & Merrill International Ltd. (SOM), 492
- Skimmers, 640
- Skylights, 262–267
 - for daylighting, 860
 - framed, 262, 263
 - framed types of, 264–267
 - frameless, 264
 - framing, 263
 - glare control, 263
 - glazing, 263
 - in roof, 856, 866
 - security and safety, 263
 - self-flashing, 262
 - shading, 263
- SLA (stereolithography apparatus), 942
- Slabs, *see* Decks and decking
- Slab-on-grades, 35–38
 - concrete mix, 35
 - joints in, 35–36
 - post-tensioned, 37
 - reinforcement of, 35
 - types of, 37–38
 - vapor retarders for, 35
- Slab post-tensioned to offset shrinkage, 37
- Slab-reinforced for shrinkage, 37
- Slag-fiber boards, applied fireproofing for, 285
- Slate, 773
- Slate roofing, 230–232
- Sleeves, piping, 405–406
- Sliding storefront windows, 203
- Slip matching, 826
- Slip sheets, 224
- Slope protection, 676–677
- Slot welds, 784
- Slow-cook ovens, in commercial food service, 530
- SLS (selective laser sintering), 942–943
- Slug cards, magnetic, 483
- Slumping (sagging) techniques, 941
- Slurry diaphragm foundation walls, 41
- SMACNA (Sheet Metal and Air Conditioning Contractors National Association), 250
- Smartcards, 483, 659
- Smart Growth Network (SGN), 852
- Smith, Eleanor, 893
- Smith, Thomas Gordon, 1020
- SmithGroup, Inc., 59
- Smoke barriers, 304
- Smoke chambers:
 - in masonry fireplaces, 317, 318
 - of multi-faceted fireplaces, 320
- Snooker, equipment for, 540–541
- Snyder, James, 960
- Soccer, equipment for, 544
- Social science research, 965–971
 - building diagnostics (example), 969–971
 - data types, 969
 - final report for, 969
 - focus groups for, 969
 - historical research, 969
 - post-occupancy evaluations, 966–969
 - programming, 965–966
 - questioning in, 969
- Soffits:
 - plywood sheathing for, 819–820
 - unvented, 183
 - vented, 183
- Soffits, exterior, 183–184
- Softball fields, 600
- “Soft” paving materials, 678–679
- Soil(s):
 - affecting settlement, 18–19
 - classifications, 5
 - clay, 4, 18
 - cohesionless, 4
 - cohesive, 4, 5
 - colluvial, 4
 - compaction and, 45
 - definitions, 4, 5
 - expansive, 8
 - healthy, 842
 - improvement of, 705
 - modifying, 708
 - overconsolidated, 5

- for planting, 705
- structural, 679
- Soil boring log, 6, 7
- Soils explorations, 4–17
 - seismic design, 12–17
 - studies and reports for, 5–8
- Soil mixing, 44
- Soil nailing, 44
- Soil preservation, 849
- Soil pressure:
 - active, 50
 - at-rest, 50
 - on basement walls, 50–51
 - passive, 51
 - surcharge soil loading, 51
- Soil stabilization, 44
 - in basement excavations, 44
 - ground freezing and, 44
 - pressure grouting, 44
 - soil mixing and, 44
 - soil nailing and, 44
- Soil strength (bearing capacity), 18
- Solar angles, 993, 997
- Solar collector surfaces, 864
- Solar constant, 992
- Solar domestic hot water systems, 453
- Solar energy, 452, 836
- Solar energy utilization systems, 453–455
 - cooling systems, 454
 - heating systems, 453–454
 - photovoltaic systems, 455
- Solar flows, 836–838
 - climatic regions, 837
 - efficiency of, 836
 - energy conservation design, 836
 - energy externalities, 836
 - heating degree days, 838
 - photovoltaic collectors of, 836
 - pollution, 836
 - renewable energy, 836
 - solar heating potential, 837
 - solar radiation, 838
 - undisturbed ground temperature, 838
 - utility costs, 836
- Solar gain, 191–193
- Solar heating potential, 837
- Solar irradiation, 1000–1002
- Solariums, 596
 - finish for, 596
 - glaze and glazing for, 596
 - infill panels for, 596
 - straight-eave, 596
- Solar path diagrams, 997–999
- Solar position, 999
- Solar radiation, 838, 989
- Solar radiation and building orientation, *see* Building orientation,
 - solar radiation and
- Solar Radiation Data Manual for Buildings, 452
- Solar-surface angles, 999
- Solar swimming pool heating systems, 454
- Solar thermal collectors, 452–453
- Solar time, 996–997
- Soldered joints, 403
- Soldering, 780, 941–942
- Solid-core doors, 287
- Solid free-form fabrication, 942
- Solid-fuel heaters, 330
- Solid laminated wood countertops, 551
- Solid phenolic resin panels, 143
- Solid state units, 462
- Solid-surface backsplash, 552
- Solid-surface countertop edge, 552
- Solid waste handling equipment, 526–527
- Solid wood flooring, 356
- Solidworks software, 936–937
- Solvent cement joints, 403
- SOM (Skidmore Owning & Merrill International Ltd.), 492
- SOMAT Engineering, Inc., 59
- Sound absorption and isolation, 367
- Sound and vibration control, 627–628
- Sound-conditioned (isolated) rooms, 612–613
- Sound control, with glass, 188
- Sound-insulating cores, 288
- Sound isolation, 627–628
- Sound Transmission Class (STC), 288
- Source subsystems, 421
- South glazing, 866
- South walls, 863
- Spas, equipment for, 503, 504
- Space detectors, 482
- Space frame domes, 604
- Space frames, 105
- Spandel beams, 737
- Spandrel glass, 188, 206
- Speakers, 519
- Special construction, 589–662
 - air-supported structures, 590–591
 - animal shelters, 648–650
 - aquariums, 642–643
 - aquatic facilities, 640–645
 - athletic rooms, 611–612
 - building automation systems, 652–661
 - cable-supported structures, 605–606
 - clean rooms, 613–614
 - cold storage rooms, 614–616
 - dome structures, 601–605
 - elevated swimming pools, 640–641
 - fabricated rooms, 622
 - fabric structures, 606–608
 - glazed structures, 594–597
 - grandstands and bleachers, 600–601
 - hyperbaric rooms, 616–617
 - ice rinks, 646–648
 - in-ground swimming pools, 641–642
 - insulated rooms, 618
 - integrated construction, 611–613
 - isolated rooms, 612–613
 - kennels, 648–650
 - log structures, 608–611
 - observatories, 601–602
 - office shelters, 618–619
 - paint booths, 625–626
 - planetariums, 619–621
 - pools, 640–645
 - portable and mobile buildings, 597–599
 - pre-engineered structures, 591–594
 - radiation protection systems, 628–634
 - recording instrumentation, 650–652
 - saunas, 622–624
 - security systems, 634–640
 - sound and vibration control, 627–628
 - sound-conditioned rooms, 612–613
 - steam baths, 622, 624
 - swimming pools, 640–642, 645
 - tubs, 643–645
 - vaults, 624–625
- Special foundations, 24
- Specialty siding, 814
- Special-use panels, 368
- Special-use permits, 851
- Speed, 1034–1035
- Speed of light, 1035
- SPFs (sprayed polyurethane foams), 175
- Spindles (of a handle), 290
- Spinning process (metals), 779, 939
- Spiral stairs, 340
- Split-coupling joints, 403
- Split-ring wood trusses, 111–113
- Sports:
 - safety areas for, 600
 - wood flooring for, 358–359
- Spot coolers, 444
- Spray-applied fireproofing (SAFP), 68
- Sprayed insulation, 122
- Sprayed polyurethane foams (SPFs), 175
- Spraying, 780
- Spray rack testing, 970, 971
- Sprinkler systems, 457–458
 - antifreeze, 458
 - components for, 457
 - heads of, 702
 - hydraulic, 457
 - types of, 458
- Square edge, for acoustical panel ceilings, 367
- SSG, *see* Structural silicone glazing
- S-shaped tiles, 229
- S steel shape, 787, 788
- Stabilization, of soils, 44
- Stabilizers, for vinyl flooring, 362
- Stable annual wetting/drying cycle, 962
- Stack back, 554
- Stadium seating, 600
- Staff work area, in schools, 575
- Stage curtains, 515

- Stage equipment, *see* Theater and stage equipment
- Stage rigging systems, 515
- Staggered clip mounting, 158
- Stains, on interior walls, 350
- Stainless steel, 778
- Stainless steel countertops, 553
- Stairs, 333–343
 - alternative types of, 340–342
 - circular, 340
 - concrete, 335–336
 - construction of, 335–342
 - design considerations for, 333–334
 - finishes for, 342
 - handrails for, 342
 - metal, 336–338
 - nosings of, 333–334
 - risers of, 333–334
 - spiral, 340
 - treads of, 333–334
 - winding, 340
 - wood, 339–340
- “Stair-step” technique, 365
- Stamping, 779, 939
- Stand-alone (off-grid) systems, 455
- Standard dimensional ratio (SDR), 201
- Standard duty doors, 300
- Standard foundations, 19–20
- Standard penetration test values (blow counts, N-values), 7
- Standard Proctor, 45
- Standing height, 551
- Standing seam roofing, 243
- Standoff, 1017
- Standpipes, 458–460
- Static analysis (base shear, equivalent lateral force), 13
- Static loads, 1038–1041
 - for cantilever beams, 1040–1041
 - for fixed beams, 1039–1040
 - for overhangs, 1040–1041
 - for simple beams, 1038–1039
 - testing for, 28
- Static water pressure, 400
- STC (Sound Transmission Class), 288
- Steam baths, 622, 624
- Steel:
 - additives for, 778
 - austenitic, 797
 - cold-rolled, 798
 - concrete reinforcing, 742
 - corrosion-resistant, 798
 - wrought, 778
- Steel bathtubs, enameled, 394
- Steel channels, 788
- Steel Door Institute (SDI), 213, 214, 298
- Steel doors, 298, 299
 - grades and models of, 299
 - types of, 298
- Steel floor framing, 76–79
 - for adaptability, 78
 - AESS, 77
 - for ceilings, 78
 - cold-formed steel, 79
 - fabricated fireproofed steel columns, 76
 - for fireproofing, 78
 - steel-joint floor framing, 78
 - for vibrations, 78
- Steel-joint floor framing, 78
- Steel portable buildings, 598–599
- Steel sheets metal, 797
- Steel ties, 789
- Steep slope roof coverings, 227–233
 - built-up bituminous roofing, 234–237
 - coated foam roofing, 238
 - composite roofing tiles, 232–233
 - EPDM roofing, 237
 - fluid-applied roofing, 238
 - hot fluid-applied roofing, 238
 - metal roofing tiles, 233
 - PRM roofing, 238
 - PVC roofing, 237
 - slate roofing, 230–232
 - tile roofing, 229–230
 - TPO roofing, 238
 - vegetated, 239–240
 - wood shingles and shakes, 227–229
- Steep slope roofing, 224
 - decking, 224
 - flashing, 224
- Step nose, 687
- Stereolithography apparatus (SLA), 942
- Stick systems, 206
- .sti file format, 942
- Stiles, for interior doors, 289
- “Stink board” (expanded glass, cellular glass), 53
- Stone:
 - finishes for, 774
 - granite, 772
 - limestone, 772
 - marble, 772–773
 - masonry patterns, 774–776
 - properties of, 772
 - sandstone, 773–774
 - slate, 773
 - on steel framing, 153
 - types of, 772–774
 - uses of, 772
 - veneers, 774–776
- Stone assemblies, 772–776
- Stone countertops, 553
- Stone facing finishing, 346–349
 - grouting, 348
 - joint sizes for, 348
 - lippage of, 348
 - marble patterns for, 346
 - mechanical anchoring system for, 348
 - mortar beds for, 348
 - panel dimensions for, 346
 - thinset installations for, 348
 - tiles for, 346, 348
 - types of, 346
 - veneer cutting for, 346
 - veneer patterns, 346
 - for wall, 346–349
 - wire-tie anchoring system for, 346, 347
- Stone finishes, 359
- Stone flooring, 359–362
 - dimension stone for, 359
 - paver installation for, 359
 - stone finishes for, 359
 - tile installation for, 359
- Stone panels, 150–151
- Stone spandrel at foundation, 152–155
 - cast stone veneer, 155
 - composite assemblies, 153
 - fabricated stone panels, 152
 - HAM and, 153
 - stone and steel assemblies, 153
 - stone on steel frame, 153
 - synthetic stone veneer, 155
- Stone tiles:
 - dimensions of, 346
 - installation of, 348
- Stools, in restaurants and bars, 558
- Stops (of a lock), 290
- Storage ponds, 716
- Storage space, in schools, 579
- Storage-type water heaters, 408, 409
- Storefront windows, 202–205
 - sliding, 203
 - systems for, 204–205
- Storm drainage systems, 712–713
 - design considerations for, 712–713
 - facility, 415–416
 - grates for, 714–715
 - Storm drains, 415–416
- Stormwater runoff, 838
- Stormwater wetlands, 717–720
- Story drift, 13
- Stoves:
 - aesthetics of, 330
 - burning technologies of, 330
 - catalytic appliances, 331
 - chimneys for, 331
 - clearance for, 332
 - configurations for, 330
 - convection heat from, 330
 - conventional venting, 332
 - decorative gas appliances, 332
 - direct venting, 332–333
 - drafts for, 331
 - installation of, 331–332
 - manufactured, 330
 - noncatalytic appliances, 330
 - pellet appliances, 330–331
 - radiant heat from, 330
 - solid-fuel heaters, 330
- Straight base, 362
- Straight-eave solarium, 596

- Strain gauges, 650–651
 Strategic advisors, 834
 Street pressure systems, 400
 Strengthened glass, 187
 Stressed skin panels, 145
 Stressing tendons, 742
 Stress (echo) treatment rooms, 523
 Stretch forming, 939
 Stretch-in installation, of carpet flooring, 365
 Strikes, 290, 660
 String potentiometer, 651
 Structural calculations, *see* Static loads
 Structural chemical grouting, 33
 Structural facing tile, 768
 Structural foam core panels, 145
 Structural framing, 785–789
 - C steel shape, 786
 - HP steel shape, 786
 - L steel shape, 786
 - M steel shape, 786
 - S steel shape, 787, 788
 - steel channels, 788
 - steel ties, 789
 - W steel shape, 785, 787, 788
 Structurally reinforced slabs, 37
 Structural panels, 145–146
 Structural silicone glazing (SSG), 206, 264
 “Structural soil,” 679
 Structural steel framing, 76
 Structural welding, 782–783
 Structure-borne sound isolation, 627–628
 Stucco, 146–147
 Stucco Portland cement, 343
 Study by design, 972
 Subcasings, 285
 Subdrainage, 39–40, 679
 Subflooring, with plywood sheathing, 818–819
 Subjective data, 969
 Substations, 462
 Substructure, 3–62
 - 215 Fremont Street (San Francisco, California), 55–58
 - basement construction, 40–54
 - case studies, 55–62
 - foundations, 18–39
 - soils and soils explorations, 4–17
 - Visteon Village (Van Buren Township, Michigan), 59–62
 Subsurface drainage systems, 711–712
 Subsurface studies, 5
 Sulfur, in steel, 778
 Sulfuric anodizing, 781
 Sunshading, 860
 Superposition, 1027
 Superstructure, 67–123
 - design considerations for, 67–68
 - floor construction, 68–99
 - roof construction, 99–123
 Supervisory controllers, 450
 Supplementary cementitious materials (SCM), 747, 748
 Surcharged foundation, 28
 Surcharge soil loading, 51
 Surface drainage, 38
 Surface-mounted raceways, 468–469
 Surgival suites, 523
 Surveillance systems, 657–658
 Suspension systems:
 - for acoustical panel ceilings, 368
 - for acoustical tile ceilings, 368
 - for linear metal ceilings, 371
 Sustainable design, 831–872
 - of buildings, 854–868
 - characteristics of, 833
 - community design, 834, 851–853
 - demolition, 662, 664, 665
 - ecological design, 832
 - ecological literacy, 835
 - economy-ecology equity and, 832
 - of ecosystems, 842–843
 - flows in nature, 836–842
 - of fountains, 691
 - integrated design, 835
 - materials, healthy, 843–851
 - measure of, 870
 - metrics of, 868–872
 - opportunities, 834–835
 - principles of, 832
 - process for, 832–833
 - recycling and, 665
 - services scope, 834–835
 - strategic advisors, 834
 Sustainable forestry, 843
 “Swamp coolers,” 595
 SW (Severe Weathering) bricks, 763
 Swimmers, pools for, 645
 Swimming pool(s), 596–597, 640–642
 - elevated, 640–641
 - in-ground, 641–642
 - pumps for, 641, 642
 - safety areas for, 600
 - solar heating systems for, 454
 - for sports, 600
 - water treatment for, 642
 Swimming pool enclosures, 596–597
 HVAC moisture control for, 597
 roof of, 596
 sidewall for, 596
 structure of, 596
 Swinging openings, 306
 Switches, 463, 467
 - air proving, 626
 - disconnect, 463
 - light, 925
 - limit, 626
 Switchboards, 462
 Switching, multilevel, 450–451
 SWRI (Sealant, Waterproofing, and Restoration Institute), 54
 Symbolic elements, in mosques, 510
 Synagogues, equipment for, 509–510
 Synthetic stone veneer, 155
 Systems furniture:
 - access flooring for, 561
 - electrical systems and, 560
 - flexibility with, 560
 - for freestanding systems, 560
 - panels, 560
 - for panel-supported systems, 560
 - raceway decking assembly for, 561
 - undercarpet electrical power cables for, 561
 - wall connections for, 560
 - wire and cable connections to, 561
 - workstations, 560
 System operations, 654
 Systems thinking (sustainable design), 833
T
 Taber ice, *see* Ice lens
 Tables, in schools, 579
 Table tennis, equipment for, 545
 Tactile signs, 912
 Take One, LLC, 268
 Tamperers, 45
 Task lighting, 475, 860
 Task method, 477
 TCLP (toxicity characteristic leaching procedure), 666
 TDP (terminal development project), 492
 Technical analysis, 969
 Technical research, 961–964
 - building systems research, 962
 - for foundation building (example), 962–964
 TEF (Total Ecological Footprint), 868
 Teflon- (fluorocarbon-) coated glass fiber fabric, 606
 Tegular edging, 367
 Telecommunications systems, 483–485
 Teleconferencing, 516
 Telephones, volume-control, 912
 Telescoping bleachers, 600, 601
 Television systems, 483–484
 Teller and service equipment, 500–502
 - automated teller machines, 502
 - transaction equipment, 500–502
 Temperature gauges, for fountains, 690
 Tempered glass, 187
 Tempered (kind FT) glass, 187
 Temple of Apollo, 1020
 Tensile structures, 607–608
 Terminal development project (TDP), 492
 Terminal heat transfer units, 446–447
 Terminal reheat:
 - air distribution, 443
 - constant-volume single-duct with, 439
 Terrazzo floor finishes, 355
 - aggregate in, 355
 - bases for, 356
 - monolithic, 355
 - sand cushion, 355
 Terrorist acts, 1016

- Textile wall coverings, 350
- Text symbols, 1015
- Text telephones (TTYs), 912
- Thaw zone, residual, 9
- Theater and stage equipment, 512–516
 - performance theaters, 512
 - portable, 515
 - safety, 513
 - seating area design, 513
 - stage curtains, 515
 - stage rigging systems, 515
- Therapy tubs and pools, 643–645
 - hydrotherapy baths, 644
 - for rehabilitation, 645
 - single-patient underwater treadmills, 645
- Thermal collectors, solar, 452–453
- Thermal conductivity, 1003–1005
- Thermal control, 451–452
- Thermal detectors, 482
- Thermal expansion, 1035
- Thermal (flamed) finishes, 359
- Thermal forces, 995
- Thermal imaging cameras, 639, 658
- Thermal insulation:
 - in basement walls, 53
 - for energy conservation, 860
- Thermal mass, 989
- Thermal performance:
 - of windows, 185
 - of window treatments, 553
- Thermal (transitional) sailing season, 11
- Thermal storage, 863, 866
 - materials for, 864
 - underground, 863
- Thermal system insulation (TSI), 665
- Thermal transmission, 1003–1005
- Thermoforming, 940
- Thermoplastic coatings, 780
- Thermoplastic pipes, 401
- Thermoplastic-polyolefin (TPO) roofing, 238
- Thermoplastic rubber, 362
- Thermoset pipes, 401
- Thermoset rubber, 362
- Thermosetting paints, 780
- Thermostats, 925
- Thickset installation, of tile flooring, 352
- Thin brick veneers (adhered veneers), 140–141
- Thinset installation:
 - for stone facing finishing, 348
 - of tile flooring, 352
- THMs (trihalomethanes), 418
- Threaded joints, 403
- Threat assessments, 1016–1017
- Threat identification and monitoring, 638–639
- 3-D modeling, 936
- Three-coat plaster, 343
- Three-point locks, 290
- Three-port valves, 640
- Throats, of masonry fireplaces, 317
- Through-hull penetrators, 617
- Through-wall flashing, 144, 175
- Tieback (ground) anchors, 43
- Tile(s):
 - for acoustical tile ceilings, 368
 - barrel, 229
 - case, 368
 - composition of, 351
 - conductive, 351
 - decorative thin-wall, 351
 - glaze of, 351
 - low slope roofing, 230
 - molded, 368
 - nodular, 368
 - paver, 351
 - quarry, 351
 - S-shaped, 229
 - for stone facing finishing, 346, 348
 - for stone flooring, 359
 - structural facing tile, 768
 - thin-wall, 351
 - types of, 351–352
 - water-felted, 368
- Tile ceilings, acoustical, *see* acoustical tile ceilings
- Tile flooring, 351–355
 - adhesives for, 353
 - with carpet, 364
 - grouting, 353–354
 - installation of, 352
 - mortars and, 352–353
 - movement joints for, 354
- Tile roofing, 229–230
 - with flashing, 230
 - in high-wind areas, 230
 - installation of, 229–230
 - profiles of, 229
 - with weather barriers, 229
- Till, 4
- Tilting braising pan (tilting skillet, tilting frying pan), 529
- Tiltmeters (inclinometers), 651
- Tilt-up concrete, 737
 - design of, 129
 - finish for, 129
 - HAM and, 129
- Tilt-up concrete walls, 128
- Timber:
 - glued-laminated, 603
 - shoring, 40
- Timber frame roof decking, 116
- Time, 842
 - diurnal rhythms, 842
 - seasonal rhythms, 842
 - solar, 996–997
- Tin-clad fire doors, 306
- Tinted glass, 187, 188
- Titanium, in steel, 778
- Toilet(s), 391–394, 919–920
 - accessibility of, 901, 914–921
 - in bathrooms, residential, 920
 - built-in, 393–394
 - compartments for, 915
 - flushing action for, 391
 - flushing mechanisms for, 392
 - in hyperbaric rooms, 617
 - room layouts for, 914–915
 - standards for, 919–920
 - well-hung, 392–393
- Toilet and bath fittings, 306–309
 - accessibility of, 307, 915–917
 - accessories, 308–309
 - commercial accessories, 308
 - compartment and cubicles, 306–308
 - fire-test response characteristics for, 307
 - hotel accessories, 308
 - residential accessories, 308
- Tolerance for error, 882
- Tongue-and-groove clip mounting, 158
- Topcoats, applied fireproofing for, 285
- Topographical ordering, 969
- Torch-applied membranes, 174
- TOSCA (EPA Disposal Regulations and Toxic Substances Control Act), 666
- Total Ecological Footprint (TEF), 868
- Total internal reflection, 1035
- Touch-sanded panels, 813
- Town planning, 851
- Toxicity characteristic leaching procedure (TCLP), 666
- TPIA, *see* Toronto Lester B. Pearson International Airport, Toronto, Ontario, Canada
- TPO (thermoplastic-polyolefin) roofing, 238
- Trade jurisdictions (*MasterFormat*[®]), 1009
- Traditional checkout equipment, 504
- Traditional fireplaces, 313
- Traditional town planning, 851
- Traffic:
 - on carpet flooring, 365
 - pedestrian, 684
- Transaction equipment, *see* Bank transaction equipment
- Transfer box, 629
- Transformer kVA, 462
- Transgenerational design, 889
- Transgenerational House (Placitas, New Mexico), 889–893
- Transitional (thermal) sailing season, 11
- Transit-oriented development, 851
- Translucent fiberglass panels, 596
- Transparent security, 1017
- Transportation:
 - fare collection equipment and, 912
 - intermodal, 494
 - to TPIA, 494
- Transport gas, 419
- Trash chutes, 390
- Tratings, 285
- Treadmills, single-patient underwater, 645
- Treads, of stairs, 333–334
- Treated wood basement walls, 48–49
- Treatment rooms, equipment for, 522–523
- Tree(s), 703–710, 849

Tree plantings, 704–705
 construction around, 705–707
 in urban areas, 707–708
 Tree rooting, urban, 679
 Trenching, 42
 Trigonometry functions, 1034
 Trihalomethanes (THMs), 418
 Triple system jet grouting, 33
 Trip pyramid, 944
 Tri-service plotting guidelines, 1012
 True north, 994
 Trunk flares, 707
 Trunk growth, 707
 Trusses:
 shop-fabricated wood, 110–111
 split-ring wood, 111–113
 Tryglyphs, 1020
 TSI (thermal system insulation), 665
 TTYs (text telephones), 912
 Tub, therapy, 643–645
 Tubes, 474
 Tubing, 790–793
 Tufted carpets, 364
 Tungsten, in steel, 778
 Turf, porous, 678
 Turning, 938
 Twin-flue design, 319
 Two-axis tools, 938
 Two-coat plaster, 343
 215 Fremont Street (San Francisco, California), 55–58
 methodology for, 55
 technical systems for, 56–57
 Two-pipe, dual temperature system, 436
 Typological research, 972

U

UFAS, *see* Uniform Federal Accessibility Standards
 UIA (International Union of Architects), 843
 UL, *see* Underwriters Laboratory
 ULPA (ultralow penetration air) filters, 613
 Ultralow penetration air (ULPA) filters, 613
 Ultrasonic anemometers, 650
 Ultrasonic motion detectors, 482
 Ultraviolet (UV) light, 418
 Undercarpet electrical power cables, 561
 Underconsolidated soils, 5
 Undercutting, 285
 Under-deck clamps, 416
 Underground thermal storage, 863
 Underheated climates, 10
 Underpinning, 31–33
 elevation and, 32–33
 of footing, 32
 in foundations, 31–33
 using needle beams, 32
 of walls, 32

Underwater treadmills, 645
 Underwriters Laboratory (UL):
 on commercial food service, 528
 on fireplaces, 328
 on transaction equipment, 500
 on wood and pellet stoves, 331–332
 Unglazed tiles, 351
 Unified Soil Classification System, 5
 UniForma™ (CSI/CSC), 1006–1008
 application overview of, 1008
 for cost information arrangements, 1008
 for design-build applications, 1008
 for drawings organization, 1008
 for facilities management information, 1008
 history of, 1007–1008
 for preliminary project descriptions, 1008
 for project manual arrangements, 1008
 structure of, 1008
 Uniform background lighting, 477
 Uniform drawing system modules, 1012
 Uniform Federal Accessibility Standards (UFAS), 895, 919
 Uninterruptable power supply (UPS), 487–488
 Unisex toilet/bathing rooms, 914–915
 U.S. General Services Administration, *see* General Services Administration
 U.S. Geological Survey (USGS), 652
 U.S. Green Building Council (USGBC), 652, 868, 869
 U.S. National CAD Standards (NCS), 1011–1013
 U.S. National Institute of Standards and Technology (NIST), 1019
 United States Architectural and Transportation Barriers Compliance Board, 682
 Unitized systems, 206
 Unit kitchens, 537
 Unit locksets, 287
 Unit masonry, 761–771
 arches, 767
 beams, 765–766
 clay masonry units, 763–764
 columns, 765–766
 concrete masonry units, 764–765
 glass unit masonry, 769–772
 pilasters, 765–766
 structural facing tile, 768
 Unit paving, 684–686
 with bricks, 684
 heavy vehicular paving bricks, 684
 for light-traffic, 684
 paver selection, 684
 for pedestrian traffic, 684
 preparation for, 685–686
 Unit power density (UPD), 475
 Universal design, 873, 874–893
 emergent principles of, 884–889
 equitable use, 875–879
 flexibility in use, 879–880
 intuitive use, 880–882
 low physical effort, 882
 perceptible information, 882
 principles of, 875–883

simplicity, 880–882
 size and space for approach and use, 882–883
 tolerance for error, 882
 University of Texas School of Nursing and Student Community Center (Houston, Texas), 495–498
 methodology of, 495–496
 technical systems, 496–497
 Unsanded panels, 813
 Unvented compact roof assemblies, 122
 Unvented gas logs, 329
 Unvented soffits, 183
 UPD (unit power density), 475
 Upflow systems, 444
 Uplift, in high-seismic load design, 16
 UPS (uninterruptable power supply), 487–488
 Urban areas:
 tree plantings in, 707–708
 tree rooting in, 679
 Urethane epoxies, 350
 Urinals, 391–392
 accessibility of, 915
 flushing action for, 391
 flushing mechanisms for, 392
 Use:
 equitable, 875–879
 flexibility in, 879–880
 intuitive, 880–882
 size and space for, 882–883
 USGBC, *see* U.S. Green Building Council
 U-shaped kitchens, 535, 922–923, 925
 Utility electrical boxes, 469
 UV (ultraviolet) light, 418

V

Vacuum breakers, 399
 Vacuum forming, 940
 Van-accessible stalls, 682
 Vanadium, in steel, 778
 van der Voordt, Theo, 965, 966
 van Duijn, Leen, 973
 van Ryzin, Lani, 959
 van Wegen, Herman, 965, 966
 Vapor barriers, 64
 in computer room air-conditioning, 444
 door installation and, 214
 in windows, 185
 Vapor control, 225
 Vapor cooling, 865
 Vapor-nonpermeable weather barrier membranes, 175
 Vapor-permeable weather barrier membranes, 175
 Vapor retarders, 35, 64, 175
 Variable air volume (VAV) air distribution, 442
 Variable outside air damper, 421, 422
 Variable-volume single-duct, 440
 Variable-volume single-duct air distribution systems, 440
 Variation, 973

- Vaults, 500
 burglary-resistant vaults, 625
 for detection, 500
 electronic article surveillance devices, 500
 fire-resistant, 625
 installation of, 624–625
 metal detectors, 500
 safes, 500
 types of, 625
 x-ray scanning equipment, 500
- VAV (variable air volume) air distribution, 442
- VCT (vinyl composition tile), 362
- Vegetated roofing, 239–240
- Vehicular deterrent, 635
- Vehicular equipment, 524–525
- Vein (across-the-bed) cut, 346
- Vending equipment, 507–508
- Veneer(s):
 cutting, 346, 826
 matching, 346
 patterns for, 346
 stone, 774–776
 for stone facing finishing, 346
 wood, 825–826
- Veneer (plywood) core, 825
- Venetian blinds, 452
- Vent, masonry, 758
- Vented compact roof assemblies, 122
- Vented gas fireplaces, 329
- Vented gas logs, 329, 332
- Vented soffits, 183
- Vent hoods, in residential kitchens, 536–537
- Ventilation:
 for aquariums, 643
 body, 989
 climate, 989
 of crawlspaces, 98–99
 for greenhouses, 595
 heat recovery, 850, 861
 in kennels, 649
 natural, 840, 841
 of roofs, 122–123
- Ventilation air change, 841
- Ventilative cooling, 865
- Venting:
 condensing furnaces, 431
 conventional, 332
 direct, 332–333
 of gas-fired equipment, 430–431
 from stoves, 332
- Vent piping, 413
- Vent stacks, 428–429
- Verify in computer (VIC), 269
- Verify in field (VIF), 269
- Vertical laminar flow (VLF), 613
- Vertical transportation monitoring and control systems (VTMACS), 660
- Vertical wall systems, 605
- Vertical waterproofing, of basement walls, 52–53
- Vertical wheelchair lifts, 908
- “Very cold” climates, 8
- Vibration(s):
 in cable-supported structures, 605
 in plumbing, 391
 settlement and, 19
 steel joist floor framing for, 78
- Vibration detectors, 482
- VIC (verify in computer), 269
- Video-conferencing, 516
- Video systems, 486–487
- Viewing area, audiovisual, 516
- Viewports, 617
- VIF (verify in field), 269
- Vinyl, 362
- Vinyl composition tile (VCT), 362
- Vinyl flooring, 362
- Vinyl tile flooring, 362
- Vinyl wall coverings, 350
- Visible manometer, 626
- Visitor parking, 925
- Vistability, 873, 893–895
- Visteon Corporation, 59
- Visteon Village (Van Buren Township, Michigan):
 methodology of, 59
 technical systems for, 60
- Visual alarms, 481
- Visual Edge Quality, 825
- Visualization, 973
- Vitreous coatings, 781
- Vitruvius, 835, 1020–1022
- VLF (vertical laminar flow), 613
- VOCs, *see* Volatile organic compounds
- Volatile organic compounds (VOCs), 656, 858
- Voltage, 462
- Volume:
 calculating, 1037
 thermal expansion of, 1035
- Volume-control telephones, 912
- Volutes, classical, 1025
- Von Terzaghi, Karl, 8
- VTMACS (vertical transportation monitoring and control systems), 660
- Vulnerability analysis, 1016–1017
- W**
- Wackernagel, Mathis, 868
- Wade, John, 959
- Waitstaff stations, 558
 equipment for, 532
 furnishings for, 558
- Walkers, pools for, 645
- Walking surfaces, 900–902
- Wall(s), 343–351. *See* Exterior walls
 accessibility of, 925
- backfilling against, 50
- barrier, 64, 185, 214
- basement, 45–53
- cable-supported, 605
- concrete, 45
- coverings for, 350–351
- curtain, 205
- damproofing, 53
- exterior, 124–184
- finishes for, 343–351
- in high-seismic load design, 17
- masonry, 46
- painting, 349–351
- perimeter, 17
- plaster, 343–345
- plywood sheathing for, 817–818
- retaining, 693–701
- secant, 41
- for shallow foundations, 22–24
- in shored excavations, 41
- slurry diaphragm, 41
- soil pressure on, 50–51
- stone facing for, 346–349
- thermal insulation, 53
- thickness of, 46
- treated wood, 48–49
- underpinning of, 32
- vertical waterproofing, 52–53
- of windows, 184
- Wall brackets, for partitions, 283
- Wall cladding:
 metal cladding panels, 158
 panelized, 155–156
- Wall connections, for systems furniture, 560
- Wall coverings, 350
- Wall drainage testing, 971
- Wall forms, 736
- Wall guards, 312–313
- Wall hydrants, 397
- Wall jets, 840
- Wall liners, 351
- Wall panels, 736
- Wall system, foundation, 962
- Wall systems, 54
- Wall table design, 550
- Wang, David, 959, 960
- Ward Residence (Pacific Palisades, California), 271–274
- Warm air furnaces, 448–449
- Warm exhaust systems, 315
- Warranties:
 for low slope roofing, 226
 for steep slope roofing, 224
- “Washdown,” 391
- “Washout,” 391
- Washrooms, of mosque, 510
- Waste management:
 for building, 868
 for construction, 844–845, 868

- for demolition, 665, 844–845, 868
- demolition and, 664–665
- for renovations, 844–845
- Water:
 - chilled, 435, 445
 - mortar and grout, 754
- Water aerobics, 645
- Water-based fire-suppression systems, 456–457
- Water-based paint, 350
- Waterborne preservatives, 803
- Water chillers, 435–436
- Water closets, *see* Toilet(s)
- Water-cooled, 445
- Water coolers, 395–396
- Water cycles, 870–871
- Water distribution system, portable, 400–401
- Water-felted (wet-felted) tiles, 368
- Water flows, 836, 838–839
 - lawns, 839
 - stormwater runoff, 838
 - watersheds, 839
- Water heaters:
 - domestic, *see* Domestic water heaters
 - instantaneous-type, 409
 - storage-type, 408, 409
- Waterjet finishes, 359
- Water jets, 938
- Water leakage, 185
- Water loop heat pumps, 425–426
- Watermark magnetic cards, 483
- Water permeance testing, 971
- Water pressure:
 - in potable water distribution system, 401
 - residual, 400
- Waterproofing:
 - of basement walls, 52–53
 - horizontal, 240–247
 - sheet, 240–242
 - vertical, 52–53
- Water quality:
 - aesthetic concerns, 416
 - of decorative pools, 690
 - of fountains, 690
 - health concerns, 416
 - rain water harvesting systems and, 416
- Water repellents, for EIFS, 161
- Water-resistance, in EIFS, 161
- Water separation planes, 962
- Watersheds, 839
- Water spray fixed systems, 458
- Water supply fixture units (WFUs), 400
- Water table, lowering of, 19
- Water treatment, for in-ground swimming pools, 642
- Water vapor:
 - control of, 225
 - with low slope roofing, 225
 - migration of, 175
- Water velocity, 400
- Watson, Donald, 961
- WBDG (Whole Building Design Guide), 54
- Weather barriers, *see* Air barriers
- Weather barriers (water-resistant barrier), 64
- Weber, Richard, 969
- Weepholes, 758
- Weightlifting, equipment for, 545
- Weight of materials, 1035–1036
- Welded joints, 403
- Welded wire fabric reinforcing, 742
- Welding, 783–784
 - CAD/CAM and, 941–942
 - fusion, 779
 - gas, 779
 - metal, 782–784
 - partial penetration, 782, 783
 - plug, 784
 - slot, 784
 - structural, 782–783
 - symbols for, 783–784
- Welding procedure specifications (WPS), 783
- Welding rods, 779
- Well-hung toilets, 392–393
- Wellpoints, 38
- Wells, Malcolm, 833
- Western (platform) wood floor framings, 81–84
- West Side Skate Park (Albuquerque, New Mexico), 724–727
- Wet-chemical fire-extinguishing systems, 457
- Wet-felted (water-felted) tiles, 368
- Wetlands:
 - natural systems, 716
 - stormwater, 717–720
- Wet-pipe sprinkler systems, 458
- Wet seals, 158, 241
- “Wet time,” 432
- Wetting/drying cycle, 962
- WFUs (water supply fixture units), 400
- Wheelchair lifts, 908–910
 - inclined, 909–910
 - vertical, 908
- Whirlpool bathtubs, 394
- White iron castings, 778
- Whole building certification, 872
- Whole Building Design Guide (WBDG), 54
- Whole-house (exhaust) fans, 989
- Wiegand technology, 659
- “Wiggle” (“jiggle”) glazed systems, 190, 206
- Williams, Edward, 974
- Wind accelerometers, 650
- Wind anemometers, 650
- Wind forces:
 - on exterior walls, 170–171
 - landscaping for protection from, 704
 - on low slope roofing, 226
 - on rooftop plantings, 710
- Winding-drum machine, 382
- Winding stairs, 340
- Windows, 184–213
 - acoustic, 627
 - air barriers in, 185
 - air filtration with, 185
 - air flows and, 841
 - assemblies, 185
 - in classical architecture, 1029
 - condensation performance of, 185
 - curtain wall for, 205–213
 - detailing for, 185
 - exterior, 184–213
 - frame types, 197–198
 - glass products and, 187–189
 - glazing, 189–196
 - installation of, 198–201
 - movement of, 185
 - operation types of, 186
 - performance of, 185
 - ribbon, 184
 - on roof, 856, 866
 - shading devices for, 180
 - size, 841
 - of storefront, 202–205
 - structural performance of, 185
 - thermal performance of, 185
 - types of, 186
 - vapor barriers in, 185
 - water leakage of, 185
- Window treatments, *See* Draperies
 - blinds, 554
 - clearances for, 553, 554
 - draperies, 553, 554
 - drapery carriers, 554
 - fixed, 553–555
 - low-e coatings for, 553
 - mounting details, 554–555
 - roller shades, 554
 - shades, 554
 - thermal performance of, 553
- Window walls, 184
- Wind power, 840
- Wine storage, 534
- Winter season, 11
- Wire connections, to systems furniture, 560
- Wire glass, 187
- Wireless networks, 654
- Wire Reinforcement Institute (WRI), 38
- Wire-tie anchoring system, 346, 347
- With-the-bed (Fleuri) cut, 346
- Wood, 799–828
 - architectural, 821–828
 - decay and, 802
 - fastenings, 805–812
 - as finish material, 800
 - fire and, 802
 - insects and, 802
 - for interior finishing, 800–801
 - joining, 801
 - lumber grading, 801

Wood, continued

- lumber production, 800–801
- moisture movement in, 801–802
- penta-treated, 802–803
- sheathing, 813–820
 - as structural material, 800
 - treatment of, 802–805
 - types of construction with, 800

Wood blocking, 759

- Wood-burning fireplaces, 328–329
- Wood-core fire doors, 306
- Wood decking, 94–98
 - bracing, 97
 - composite decking and, 98
 - fasteners for, 97
 - glass flooring and, 98
 - preservative treatment for, 97
 - wood selection for, 95
- Wood doors, 296–297
 - grades of, 296
 - installation of, 297
 - standards for, 296
- Wooden domes, glued-laminated, 603
- Wooden interior doors, 296–297
- Wood fastenings, 805–812
 - adhesives, 805
 - anchors, 808–812
 - construction adhesives, 805–806
 - nails, 807–808
 - shields, 808–809
- Wood fiberboard, 225
- Wood fiber siding, 148
- Wood floor framings, 80–91
 - cantilevered beam systems in, 90
 - connection design for, 91
 - continuous span beam systems in, 90
 - fire safety with, 91
 - glue-laminated construction for, 91

- heavy timber, 86–87
- platform, 81–84
- pole construction in, 88–90
- shop-fabricated, 85–86
- standard depths for, 91
- western, 81–84

Wood flooring, 356–359

- bamboo, 357
- engineered, 357
- grades of, 357
- installation of, 357–358
- resilient, 358–359
- selection of, 356
- sizes of, 357
- solid, 356
- for sports, 358–359
- wood plank, 356
- wood strip, 356

Wood-frame gypsum board partitions, 276–277

- Wood framing, 137
- Wood nailers, 230
- Wood paneling, 143, 821–822
- Wood plank flooring, 356
- Wood shingles, 227–229
- Wood stairs, 339–340
- Wood stops, 286
- Woodstove chimneys, 331
- Wood strip flooring, 356
- Wood treatment, 802–805
 - decay-resistant wood, 802
 - fastening, 803
 - finishing, 803
 - for fire resistance, 804–805
 - oil-borne preservatives, 802–803
 - preservatives, 802
 - preservative-treated wood, 803
 - pressure-treated wood, 802
 - specifications of, 803–804

- waterborne preservatives, 803

Wood trusses:

- shop-fabricated, 110–111
- split-ring, 111–113

Wood veneer(s), 825–826

- Wood veneer countertops, 551
- Wood veneer wall coverings, 351

Woodwork, architectural, 821–828

- Woodwork Institute of California, 296
- Wool fibers, in carpet flooring, 364
- Workstations, 560, *See* Floor wiring systems, for workstations
- Work triangle, of residential kitchens, 536
- World Wildlife Federation, 868
- Worship centers, 508
- Woven carpets, 364
- WPS (welding procedure specifications), 783
- Wrestling, equipment for, 545
- WRI (Wire Reinforcement Institute), 38
- Wrought iron, 778
- Wrought steel, 778
- W steel shape, 785, 787, 788
- WUFI, 174

X

- X-ray scanning, 500
- X-ray scanning equipment, 500

Z

- Zinc, 779
- Zonal air-handling units (AHUs), 423, 426
 - four-pipe, multizone, 426
 - four-pipe, single-zone, 423–424
- Zoning, HVAC, 420